

# Appliances, Sinks & Taps



CANDY  
PAGE 3

**Hoover**  
PAGE 12

**Haier**  
PAGE 22

**bellini**  
PAGE 28

**caple**  
PAGE 32

**cataC**  
PAGE 48

**BOSCH**  
PAGE 50

**NEFF**  
PAGE 56

**RANGEMASTER**  
SINKS & TAPS  
PAGE 62

**caple**  
Sinks  
PAGE 64

**abode**  
PAGE 72

**ecoTAPS**  
PAGE 76





**XI6C4S3FSB-80**  
**60cm Dishwasher**

16 Place settings, 10 Programmes  
Third cutlery draw, Foldable Racks  
Power wash function, Sliding hinge  
Auto Door opening, Smart AI pro  
Noise Level 44dB



CANDY

Appliance pack offers



**PACK 1**

**FIDCX602**  
8 Function Fan Oven

**CHW6LPX**  
Stainless Steel Gas Hob

**CCE60X**  
60cm Stainless Steel  
Chimney



**PACK 2**

**FIDCX602**  
8 Function Fan Oven

**CH64CCB**  
60cm Ceramic Hob

**CCE60X**  
60cm Stainless Steel  
Chimney



**PACK 3**

**FCT405X**  
Oven with Touch Control  
Timer

**CHW6LPX**  
Stainless Steel Gas Hob

**CCE60X**  
60cm Stainless Steel  
Chimney



**PACK 4**

**FCT405X**  
Oven with Touch Control  
Timer

**CH64CCB**  
60cm Ceramic Hob

**CCE60X**  
60cm Stainless Steel  
Chimney



**TALL COOLING PACK**



**CMS518EWK**  
**Tall Larder Fridge**



**CUS518EWK**  
**Tall Freezer**

**BUILT UNDER COOLING**



**CMLS68EWK**  
**Built Under Fridge**



**CUS68EWK**  
**Built Under Freezer**





SINGLE OVEN

65 Litre capacity  
8 Functions  
Minute Minder  
Rotary Controls  
Stainless Steel  
13amp Connection



FIDCX602



SINGLE OVEN

65 Litre capacity  
8 Functions  
Multifunction Oven  
Rotary Controls  
Stainless Steel  
13amp Connection



FMIDCX605



PYROLYTIC OVEN

70 Litre capacity  
8 Functions  
Multifunction  
Pyrolytic oven  
Rotary Controls  
Triple glazed door  
Stainless Steel  
13amp Connection



FCM955XRL



COMBINATION MICROWAVE

44 Litre capacity  
9 Functions  
5 Power levels  
900W Microwave  
1750W Grill  
H455 W595 D47  
Stainless Steel



MIC440VNTX

Recommended to be paired with FCT405

PROGRAMS AND FUNCTIONS



Fan assisted Cooking

The upper and lower heating element operates with the help of a fan, which ensures an even heat distribution.



Convection

In this case, the heat comes from both above and below at the same time, this method is ideal for roasting meat or fish.



Grill

This function is ideal for cooking medium thickness or thin meat. With the ventilation operation the fan delivers the air to the food at the desired temperature.



Pyrolytic cleaning System

The oven reaches temperatures of up to 500°C, while the door remains cool on the outside: The pyrolytic program pulverises food and fat residues: Simply wipe the oven at the end of the cycle with a damp cloth, and your appliance will be clean and ready to use again.



Cook Light

This function allows to cook healthier, by reducing the amount of oil or fat.



Pizza

The enveloping heat of this feature creates the ideal cooking conditions to prepare the perfect italian style pizza.

WALL UNIT MICROWAVE

17 Litre capacity  
700W Microwave  
1000W Grill  
H382 W594 D319  
13 amp connection  
Stainless Steel



MIG171X

BUILT IN MICROWAVE & GRILL

25 Litre capacity  
8 Power Functions  
5 power Levels  
800W Microwave  
700W Grill  
H385 W595 D385  
13 amp connection  
Stainless Steel



CA38FL7NWXUK

BUILT IN MICROWAVE & GRILL

25 Litre capacity  
8 Power Functions  
5 power Levels  
800W Microwave  
1200W Grill  
H385 W595 D388  
13 amp connection  
Black



CA38FL7N25WXBK

BUILT IN DOUBLE OVEN

110 Litre capacity  
4 Function Conventional Top Oven  
8 Function Fan Main Oven  
Rotary Controls  
4.4kW Connection  
Stainless Steel



FC19D405X



BUILT UNDER DOUBLE OVEN

86 Litre capacity  
4 Function Conventional Top Oven  
4 Function Fan Main Oven  
Rotary Controls  
4.2kW Connection  
Stainless Steel



FC17D405X





60cm GAS HOB



4 Zones  
Enamel Pan supports  
Stainless Steel

CHW6LPX

60cm GAS HOB



4 Zones  
Enamel Pan supports  
Black

CHW6LBB

60cm GAS ON GLASS



4 Zones  
Cast Iron Supports  
Tempered Glass  
Black

CVW6BB

60cm CERAMIC HOB



8 Power Levels  
4 Zones  
Dial Controls  
Heat indicator light  
Black Glass  
6kw Connected Load

CHK46C

60cm CERAMIC HOB



10 Power Levels  
4 Zones  
Touch Controls  
Heat indicator light  
Black Glass  
6.5kw Connected Load

CH64CCB

60cm INDUCTION HOB




9 Power Levels  
4 Zones  
Touch Controls  
Heat indicator light  
Black Glass  
7.4kw Connected Load

CI642CTT



60CM ANGLED HOOD

3 extraction speeds  
Push button control  
2 LED lights  
Max extraction 463m³/h  
Charcoal filter included  
Black  
Unbranded



CDG6MBGG

CURVED GLASS HOODS

3 extraction speeds  
Push button control  
LED lights  
Max extraction 298m³/h  
Noise level 63dB  
Charcoal filter included  
Unbranded




Stainless Steel

CGM60X	60cm
CGM70X	70cm
CGM90X	90cm

C

CURVED GLASS HOODS

3 extraction speeds  
Push button control  
LED lights  
Max extraction 298m³/h  
Noise level 63dB  
Charcoal filter included  
Unbranded



Black

CGM60NN	60cm
---------	------

C

STEEL CHIMNEY HOODS

3 extraction speeds  
Push button control  
2 LED lights  
Max extraction 305m³/h  
Noise level 63dB  
Charcoal filter included  
Stainless steel  
Unbranded



CCE60X 60cm  
CCE90X 90cm

C

60CM BLACK CHIMNEY HOOD

3 extraction speeds  
Push button control  
2 LED lights  
Max extraction 305m³/h  
Noise level 63dB  
Charcoal filter included  
Black  
Unbranded



CCE60NN

C

60CM VISOR HOOD

3 extraction speeds  
Slider control  
LED lamp  
Max extraction 209m³/h  
Charcoal filter included  
Silver  
Unbranded



CFT61I

C

60CM INTEGRATED HOOD

3 extraction speeds  
Slider control  
LED lamp  
Max extraction 221m³/h  
Charcoal filter included  
Silver  
Unbranded



CBP613NGR

C

TELESCOPIC HOOD

Telescopic hood  
3 extraction speeds  
Switch operation  
LED lamp  
Max extraction 332m³/h  
52cm wide  
Charcoal filter included  
Stainless steel  
Unbranded



CBT625

B

75CM CANOPY HOOD

3 extraction speeds  
Push button control  
2 LED lights  
Max extraction 596m³/h  
Charcoal filter included  
Stainless steel  
Unbranded



Not suitable for use with  
285mm bridging cabinet

CPY7MX

A

52CM CANOPY HOOD

3 extraction speeds  
Push button control  
2 LED lights  
Max extraction 168m³/h  
Charcoal filter included  
Stainless steel  
Unbranded



CBG52SX

C





BUILT UNDER COOLING



BUILT UNDER FRIDGE

- Net capacity 135 litres
- Larder fridge
- Automatic defrost
- LED Interior light
- Adjustable thermostat
- Reversible door

CMLS68EWK



CUS68EWK



BUILT UNDER FREEZER

- Net capacity 95 litre
- Adjustable thermostat
- Manual defrost
- Reversible door

BUILT UNDER FRIDGE WITH ICEBOX



- Net capacity 95 / 16 litres
- Larder fridge
- Automatic defrost
- LED Interior light
- Adjustable thermostat
- Reversible door

CM4SE68EWK



50/50 LOW FROST COMBINATION

- Total net capacity 242 litres
- LED sky lighting
- Automatic fridge defrost
- Manual freezer defrost
- NFC Smart Touch control
- Adjustable thermostat
- Fridge net capacity 148 litres
- Freezer net capacity 94 litres
- Reversible door
- Slider fittings



CB50S518EK



70/30 LOW FROST COMBINATION

- Total net capacity 250 litres
- LED sky lighting
- Manual freezer defrost
- Adjustable thermostat
- Fridge net capacity 190 litres
- Freezer net capacity 60 litres
- Slider fittings



CBBML18EK



BUILT IN COOLING



TALL LARDER FRIDGE

- Net capacity 316 litres
- LED Sky lighting
- Automatic defrost
- Adjustable thermostat
- Slider fittings
- Reversible door
- Height 177mm

CMS518EWK



TALL FREEZER

- Net capacity 217 litres
- Manual defrost
- Adjustable thermostat
- Slider fittings
- Reversible door
- Height 177mm



CUS518EWK



50/50 FROST FREE COMBINATION

- Total net capacity 228 litres
- LED sky lighting
- Automatic fridge defrost
- Frost Free freezer
- NFC Smart Touch control
- Adjustable thermostat
- Fridge net capacity 150 litres
- Freezer net capacity 78 litres
- Reversible door
- Slider fittings



CB50N518EK



70/30 FROST FREE COMBINATION

- Total net capacity 244 litres
- LED sky lighting
- Automatic fridge defrost
- Frost free freezer
- Adjustable thermostat
- Fridge net capacity 177 litres
- Freezer net capacity 67 litres
- Reversible door
- Slider fittings



CBBMT18EK





45CM SLIMLINE  
DISHWASHER

- 9 Place Settings
- 5 Programmes
- Height adjustable Basket
- Economy & Rapid Wash cycles
- Fixed Door Hinge



60CM  
DISHWASHER

- 13 Place Settings
- 5 Programmes
- Maxi Tub
- Height adjustable Basket
- Economy & Rapid Wash cycles
- Fixed Door Hinge



CDIH2L952-80

E

CI3E53EOW-80

E

60CM WIFI PREMIUM  
DISHWASHER

- 14 Place Settings
- Programmes
- Maxi Tub
- Auto Door Opening
- Height Adjustable Basket
- Fixed Door Hinge



CI4C7LOW



C

15CM WINE CABINET

- Maximum bottle capacity is 7
- Single zone 5-22c
- Adjustable temperature
- LED display
- Internal light
- Adjustable feet
- H870 W150 D520
- Black smoked glass



CCVB15

G

30CM WINE CABINET

- Maximum bottle capacity is 19
- Single zone 5-22c
- Adjustable temperature
- LED display
- Internal light
- Adjustable feet
- H870 W295 D520
- Black smoked glass



CCVB30

F

60CM WINE CABINET

- Maximum bottle capacity is 46
- Upper zone 5-12c
- Lower zone 12-22c
- Adjustable temperature
- LED display
- Internal light
- Adjustable feet
- H870 W595 D520
- Black smoked glass



CCVB60

G

8KG WASHING  
MACHINE

- 15 Programmes
- 1400 rpm Spin Speed
- Unique KG Indicator
- Rapid programme
- Fully Integrated



CBW48D1W4

B

9KG WASHING  
MACHINE

- 15 Programmes
- 1400 rpm Spin Speed
- Unique KG Indicator
- Rapid programme
- Fully Integrated



CBW49D1W4

C

8/5KG WASHER  
DRYER

- 16 Programmes
- 1400 rpm Spin Speed
- 8kg Wash
- 5kg Dry
- Rapid programme
- Fully Integrated



CBD485D2E

C

7KG HEAT PUMP  
TUMBLE DRYER

- 15 programmes
- Adjustable legs
- Easy Iron
- Fully Integrated



CBTDH7A

A+





### HO6H3T1HTX

#### Multifunction Oven

78L Large Capacity  
9 Functions  
Hydro easy cleaning system  
Rotary and Touch Control  
Timer UX display  
3.3kw connection



### HO6C5B3YTX

#### Pyrolytic Wifi Oven

78L Large Capacity  
Pyrolytic oven  
13 Functions  
Hydro easy cleaning system  
Rotary and Touch Control  
Smart UX display  
Airfry Function  
3.3kw connection



### HO6S5G3HTB

#### Multifunction Oven

78L Large capacity  
17 Functions  
Touch control  
Airfry Function  
Soft open and soft close  
Steam cleaning  
3.3kw connected load



### HO6S5G3YTX

#### Pyrolytic Wifi Oven

78L Large capacity  
Pyrolytic  
19 functions  
Touch control  
WIFI connectivity with Alexa or Google home  
Airfry Function  
Soft open and soft close  
Steam cleaning  
3.3kw connected load



### HO7DC3

#### Built Under Double Oven

Oven capacity net: 110 litres  
Multifunction Double oven with 12 functions  
Hydro easy cleaning system  
Rotary controls  
Top Oven 4 Functions  
Bottom Oven 8 Functions  
4.4kw connection



### HO9DC3

#### Built In Double Oven

Oven capacity net: 110 litres  
Multifunction Double oven with 12 functions  
Hydro easy cleaning system  
LED Timer  
Rotary controls  
Top Oven 4 Functions  
Bottom Oven 8 Functions  
4.4kw connection



### HO4MWS9G6

#### Combination Oven

44L capacity  
14 functions  
900W microwave, 6 power levels  
2500W grill  
Airfry function  
Touch control



### HO38SC3BF7XK

#### Built In Microwave & Grill

25L capacity  
4 functions  
750W microwave, 6 power levels  
1000W grill  
Touch control



### HMG171

#### Wall Unit Microwave

17 litre capacity  
700w microwave power  
1000w grill  
Defrost function  
8 Automatic programmes  
Wall Unit Installation H382 W594 D319 (includes 20mm fascia)  
Black  
13amp connection



### HO38FL7NWBXUK

#### Built In Microwave

20 litre capacity  
Vertical installation  
Microwave 800W, 5 power levels  
Grill function 1000W, Grill rack included  
Defrost function, 8 Automatic programmes  
Built in Housing unit H388 W595 D344  
Stainless steel  
13amp connection



### HOWD14C5SE

#### Warming Drawer

20 litre capacity  
Telescopic 14cm drawer  
Adjustable temperature 30-70c  
Push Click operation  
Internal rotary control  
H144 W595 D528



## HHG6BF

### 60cm GAS HOB

Cast iron pan supports  
Dual crown wok burner  
Powerful 4kw wok burner  
Front rotary controls  
Flame safety device



## HHG75W

### 75cm GAS HOB

Cast iron pan supports  
Dual crown wok burner  
Powerful 5kw wok burner  
Front rotary controls  
Flame safety device



## HVG6DK

### 60cm GAS ON GLASS HOB

Black Gas through Glass hob  
Cast iron pan supports  
Front rotary controls  
Flame safety device



## HVG6DC5

### 60cm GAS ON GLASS HOB

Black tempered glass  
Cast iron pan supports  
Front rotary controls  
Flame safety device  
Coordinating with H500 controls



## HVG74DC5

### 75cm GAS ON GLASS HOB

Black tempered glass  
Cast iron pan supports  
Front rotary controls  
Central 4.5kw WOK burner  
Flame safety device  
Coordinating with H500 controls



## HH64DCT

### 60cm CERAMIC HOB


Front touch controls  
Double highlight zones  
Residual heat indicators  
Black glass  
Total connected load 7.4kw



## HI642BCB

### 60cm INDUCTION HOB

9 power levels  
Front slider touch control  
Independent timer for each zone  
Booster option  
Black glass  
Total connected load 7.2kw



## HIF64DCS

### 60cm FLEX INDUCTION HOB

Flexible, linkable zones  
15 power levels  
Multi slider touch control  
Top right boost to 3200w  
Flexi zone boost up to 3700w  
Connected load 7.2kw



## HIF84DCS

### 80cm FLEX INDUCTION HOB

Flexible, linkable zones  
15 power levels  
Multi slider touch control  
Top right boost to 3300w  
Flexi zone boost up to 3700w  
Connected load 7.2kw



## HDG6DCWIFI

### 60cm ANGLED GLASS HOOD

4 Extraction speeds  
Touch button control  
Extraction capacity: 618 m3/hr Boost: 710m3/h  
1 x 1.5 W rectangle LED light  
Washable aluminium grease filters  
Outlet 150mm-reducer 120mm included  
Charcoal filter included



WiFi Hob to Hood connectivity  
operate both simultaneously



## HBG750

### 75cm CANOPY HOOD

3 Extraction speeds  
Slide switch control  
Extraction capacity: 615 m3/hr  
2 x 2W round LED lights  
Washable aluminium grease filter  
Outlet 150mm-reducer 120mm included  
Charcoal filter ST1X2



## HTS6CB

### 60cm T-SHAPED HOOD

4 Extraction speeds  
Touch button control  
Extraction capacity: 500 m3/hr  
Boost function to 595m3/h  
2 x 1.5 W rectangle LED lights  
2 washable aluminium grease filters  
Outlet 150mm-reducer 120mm included  
Charcoal filter included



WiFi Hob to Hood connectivity  
operate both simultaneously



## HTS9CB

### 90cm T-SHAPED HOOD

4 Extraction speeds  
Touch button control  
Extraction capacity: 500 m3/hr  
Boost function to 595m3/h  
2 x 1.5 W rectangle LED lights  
2 washable aluminium grease filters  
Charcoal filter included



WiFi Hob to Hood connectivity  
operate both simultaneously



## HTS9CBK5XWIFI

### 90cm ISLAND HOOD

4 Extraction speeds  
Touch button control  
Extraction capacity: 618m3/hr  
Boost function to 703m3/h  
4 x 1.5 W rectangle LED lights  
3 washable aluminium grease filters  
Extendable flue to 1150mm  
Black Glass Front Panel  
Charcoal filter included



WiFi Hob to Hood connectivity  
operate both simultaneously




## COLOURED GLASS SPLASHBACKS



ALL SPLASHBACKS ARE AVAILABLE 75cm HIGH & THREE WIDTHS:

60cm - 70cm - 90cm

Colour samples are available to order.  
Please contact the sales office.



STAINLESS STEEL SPLASHBACKS IN THREE WIDTHS:-  
60cm SBK60 70cm SBK70 90cm SBK90 - Height 75cm





Models:  
HOMS518E  
HOUS518E

### HOMS518EWK

#### TALL LARDER FRIDGE

Automatic fridge defrost  
LED SKY lighting  
Electronic controls  
Net capacity 316 litres  
Height 177cm  
Reversible door  
Sliding hinge & adjustable feet  
Fully integrated



### HOUS518EWK

#### TALL FREEZER – LOW FROST

Super freeze function  
Manual defrost  
Electronic controls  
Net capacity 204 litres  
Height 177cm  
Reversible door  
Sliding hinge & adjustable feet  
Fully integrated



### HOMLSE68EWKP

#### BUILT UNDER FRIDGE

Automatic fridge defrost  
LED Interior light  
Adjustable thermostat  
Net capacity 135 litres  
Fully integrated



### HOM4SE68EWKP

#### FRIDGE WITH ICE BOX

Automatic fridge defrost  
LED Interior light  
Adjustable thermostat  
Net capacity 95/16 litres  
Fully integrated



### HUSE68EWKP

#### BUILT UNDER FREEZER

Manual defrost  
Adjustable thermostat  
Net capacity 95 litres  
Fully integrated



### HO38SC3BF7XK

#### 50/50 FRIDGE FREEZER – LOW FROST


Total capacity 233 litres  
Automatic fridge defrost  
Manual freezer defrost  
Adjustable thermostat  
LED sky lighting  
Open door alarm  
Reversible door  
Slider fittings/Adjustable feet



### HONBQL3518EVK

#### 70/30 FRIDGE FREEZER – LOW FROST

Total capacity 268 litres  
Automatic fridge defrost  
Manual freezer defrost  
Adjustable thermostat  
Open door alarm  
Reversible door  
Slider fittings/Adjustable feet



### HOB50N518EVK

#### 50/50 FRIDGE FREEZER – FROST FREE

Total capacity 228 litres  
Automatic fridge defrost  
Adjustable thermostat  
LED sky lighting  
Open door alarm  
Reversible door  
Slider fittings/Adjustable feet



### HONBQT5518DK

#### 70/30 FRIDGE FREEZER – FROST FREE

Total capacity 249 litres  
Automatic fridge defrost  
Adjustable thermostat  
Electronic controls  
LED sky lighting  
Open door alarm  
Reversible door  
Slider fittings/Adjustable feet



### HHSBSO6174XWD

#### AMERICAN FRIDGE FREEZER

532L Capacity  
Fridge 347L, Freezer 185L  
No Frost  
Super Cool & Freezer functions  
LED Lighting  
Water Dispenser  
Stainless Steel  
H1770 x W900 x D660



### HHSBSO6174BWDK

#### AMERICAN FRIDGE FREEZER

532L Capacity  
Fridge 347L, Freezer 185L  
No Frost  
Super Cool & Freezer functions  
LED Lighting  
Water Dispenser  
Inox Black  
H1770 x W900 x D660



REFRIGERATION VENTILATION GRILL, MATT SILVER - CODE 01VGMS

REFRIGERATION VENTILATION GRILL, MATT SILVER - CODE 01VGMS



Extended warranty is a distribution exclusive  
This is 2 years labour free of charge guarantee  
subject to registration  
[www.hoover2year.com](http://www.hoover2year.com)

PERFORMANCE THAT LASTS




**HWCB15**
**15cm WINE CABINET**

7 x wine bottles  
LED light  
Digital LED display  
6 Wooden shelves  
Anti UV glass door  
Fan assisted operation  
Adjustable temperature 5-18°C  
Black with stainless steel frame  
Anti finger proof finish


**HWCB30**
**30cm WINE CABINET**

20 x wine bottles  
LED light  
Digital LED display  
6 Wooden shelves  
Anti UV glass door  
Fan assisted operation  
Adjustable temperature 5-18°C  
Black with stainless steel frame  
Anti finger proof finish


**HWCB60**
**60cm WINE CABINET**

46 x wine bottles  
Dual temperature zones  
LED light  
Digital LED display  
Auto defrost low vibration design  
6 Wooden shelves  
Anti UV glass door  
Fan assisted operation  
Adjustable temperature Upper zone: 5-12°C Lower zone: 10-18°C  
Black with stainless steel frame  
Anti finger proof finish


**HWCB602D**
**60cm ENTERTAINMENT CENTRE**

38 x wine bottles  
Dual temperature zones  
LED light  
Digital LED display  
Auto defrost low vibration design  
12 Wooden shelves  
Anti UV glass door  
Fan assisted operation  
Adjustable temperature Left compartment: 5-18°C  
Right compartment: 2-18°C  
Black with stainless steel frame


**HDIH2T**
**45cm SLIMLINE DISHWASHER**

10 place settings  
8 programmes  
Height adjustable upper basket  
Delay start (24 hours)  
Half Load function  
Salt & rinse aid indicator light  
Foldable racks


**HI1C5SB1FS-80**
**45cm SLIMLINE DISHWASHER**

11 Place Settings  
8 Programmes  
Third Cutlery Draw  
Delay Start up to 23 hours  
Foldable racks  
Automatic Door opening


**HI3E9E0S**
**60cm DISHWASHER**

13 Place settings  
5 Programmes  
Delay start option  
Removable cutlery basket  
29 minute rapid wash cycle  
Memory function  
Adjustable upper basket  
Silver LED touch panel


**HI4B6F-80**
**60cm PREMIUM DISHWASHER**

16 Place settings  
10 Programmes  
Slide out cutlery drawer  
Easy Click Height adjustable upper basket  
Powerwash function  
Automatic door opening  
Silver LED touch panel





## HBWS48D1W4

### 8kg WASHING MACHINE

15 Wash programmes  
1500rpm spin speed  
Includes active steam  
Extra Rinse & Hygiene+ options  
Unique KG detector for ultimate efficiency  
Large LED display  
Delay start option  
Fully integrated



## HBWS49D1W4

### 9kg WASHING MACHINE

15 Wash programmes  
1500rpm spin speed  
Includes active steam  
Extra Rinse & Hygiene+ options  
Unique KG detector for ultimate efficiency  
Large LED display  
Delay start option  
Fully integrated



## BATDH7

### 7kg HEAT PUMP TUMBLE DRYER

15 Drying programmes  
Choice of 3 dryness levels  
KG detector  
Delay start upto 24 hours  
White and Chrome Door  
Fully integrated  
Chrome door



## HBD485D2E

### 8/5kg WASHER DRYER

8kg wash capacity  
5kg dry capacity  
15 sensor drying programmes  
1400rpm spin speed  
Includes active steam  
Unique KG detector for ultimate efficiency  
Delay start option  
Fully integrated



## HBD495D1E

### 9/5kg WASHER DRYER

9kg wash capacity  
5kg dry capacity  
15 sensor drying programmes  
1400rpm spin speed  
Includes active steam  
Unique KG detector for ultimate efficiency  
Delay start option  
Fully integrated



## H3W49TA4

### 9kg FREESTANDING WASHING MACHINE

9Kg load capacity  
15 programmes  
Adjustable 1400rpm spin speed  
Adjustable temperature  
Rapid wash cycles, 14, 30, 44 mins  
Dedicated sports clothing programme  
Approved Woolmark wash programme  
Extra rinse & Pause cycle option  
Large LED display  
WiFi & Bluetooth connectivity  
KG detector  
Delay start upto 24 hours  
White Door



## HLEC9TE

### 9kg FREESTANDING TUMBLE DRYER

9Kg load capacity  
14 Drying programmes  
Total Care technology - Looks after all your clothes and perfect for wools, delicates and other special cycles.  
AquaVision in door water container  
WiFi & Bluetooth connectivity  
Choice of 3 dryness levels  
KG detector  
Delay start upto 24 hours  
White Door



## HSK11U

### STACKING KIT

Hoover stacking kit is ideal for saving space in your home. Including the practical sliding shelf, with safe stop and anti-tipping system, it can hold up to 12 kg and makes loading and unloading easier.



SERIES 2

H6ID25G3HTB2  
Multifunction Wifi Oven



78L Large capacity  
17 Functions including Airfry  
6 Shelf Levels, Telescopic runners  
Soft close & Soft open  
Eco Programme  
3.3kw connected load



H6ID25G3YTB2  
Multifunction Pyrolytic Wifi Oven



78L Large capacity  
17 Functions including Airfry  
Pyrolytic  
6 Shelf Levels, Telescopic runners  
Soft close & Soft open  
Eco Programme  
3.3kw connected load



H4MWID29G6NQB  
Combination Wifi Microwave




44L Capacity  
14 Functions including Airfry  
900w Power, 2500w Grill  
Multi point wired meat probe  
Dehydrate, Soft close & Soft open  
H455mm W595mm D565mm



HWD14ID6E  
Warming Drawer

15cm Warming Drawer  
Variable temperature control  
Net capacity: 20 litres,  
Temperature range 30-70 °C  
Rotary control  
On/Off Indicator



Compatible with both  
Series 2 and 6



HWO9M2M5B  
Double Oven



42/70L Capacity  
4/8 Functions Hydro easy clean &  
catalytic panels  
Telescopic runners  
Soft Close door



SERIES 6

H6ID66C3HTB1  
Multifunction Wifi Oven



Colour UX TFT display  
78L Large Capacity  
25 Functions including Airfry  
7 Shelf Levels  
Telescopic runners  
Connected Load 3.3kw



H6ID66C3YTB1  
Multifunction Pyrolytic Wifi Oven



Colour UX TFT display  
78L Large Capacity  
25 Functions including Airfry  
Pyrolytic  
7 Shelf Levels, Telescopic runners  
Connected Load 3.3kw



H6ID68CSYTB1  
Multifunction Steam Wifi Oven



Colour UX TFT display  
78L Large Capacity  
25 Functions  
including Airfry & Steam  
7 Shelf Levels, Telescopic runners  
Wireless Probe



H4MWID69C6NQB  
Combination Wifi Microwave



Colour UX TFT display  
44L Capacity  
14 Functions including Airfry  
6 Power Levels,  
900W Microwave, 2500W Grill  
Soft open & Close door  
Includes wired Meat Probe



H6ID68M5HTB1  
Multifunction Wifi Oven  
with AI Camera




Premium TFT display  
AI Cooking Camera  
78L Large Capacity  
25 Functions including Airfry  
7 Shelf Levels, Telescopic runners  
Wireless Probe  
Door Lighting, Soft close door  
Connected Load 3.3kw



H6ID68M5YTB1  
Multifunction Pyrolytic Wifi Oven  
with AI Camera



Premium TFT display  
AI Cooking Camera  
78L Large Capacity  
25 Functions including Airfry, Pyrolytic  
7 Shelf Levels, Telescopic runners  
Wireless Probe  
Door Lighting, Soft close door  
Connected Load 3.3kw



H4MWID69P6NQB  
Combination  
Wifi Microwave



Premium TFT display  
44L Capacity  
14 Functions including Airfry  
6 Power Levels  
900W Microwave  
2500W Grill  
Soft open & Close door  
Includes wired Meat Probe



H4MWID69C6NQB, H6ID68CSYTB1 & HWD14ID6E

Haier

Global No.1

No.1 Global Major Appliances Brand\*

for 15 Consecutive Years

\*Source: Euromonitor International 2023.

Haier

5

YEARS LABOUR WARRANTY

10 YEARS PARTS

5 YEARS LABOUR, 10 YEARS PARTS WARRANTY

Haier offers a comprehensive After Sales Service Promise to cover every eventuality. All Haier Built-in appliances and selected Freestanding appliances come with a 10 year parts and 5 year labour warranty.





**HAVG6BF4TBPB**  
60cm Gas on Glass Hob



4 burners  
Maximum power range 5kw (left burner)  
Perfect flame system  
Cast iron support  
LPG kit included

**HAVG75TBBP**  
75cm Gas on Glass Hob



5 burners  
Maximum power range 5kw (left burner)  
Perfect flame system  
Cast iron support  
LPG kit included

**HAMS518EWK**  
Tall Larder Fridge



316L Capacity  
Auto Defrost  
LED Lighting  
Sliding door hinges  
Reversible door



**HAUN518EWK**  
Tall Freezer



200L Capacity  
No Frost  
Super Freeze Function  
Sliding door hinges  
Reversible door



**HSR3918ENPG**  
Side by Side American Fridge Freezer



2 Year  
Warranty

528L Capacity  
Fridge 337L, Freezer 191L  
Top LED Light  
Multi Air flow  
Silver


H1775 x W908 x D647



**HADG6CBS4BWIFI**  
60cm Angled Wifi Hood



5 Power Speeds  
Extraction rate 650m3/h  
Touch controls, Timer  
LED Lighting  
Noise Level 62dB  
Extraction or Recirculation  
Charcoal Filters included



**HAISJ64MC**  
60cm Wi-Fi Induction Hob



9 power levels  
Multi slider interface, Timer  
Controllable Via hOn app  
Overspill alert  
Child Lock  
7.4kw connected load



**HAMTB86IRCS**  
80cm VariCook WIFI Induction Hob



VariCook  
15 power levels  
Multi slider interface, Timer  
Controllable Via hOn app  
Overspill alert  
Child Lock  
7.4kw connected load



**HBQW5518DK**  
70/30 Fridge freezer



248L Capacity  
187L Fridge, 61L Freezer,  
Humidity zone  
Super cooling, Super freezing  
Holiday function, Open door Alarm  
Reversible doors  
Sliding Door hinges



**HB50T618MK**  
50/50 Fridge freezer



242L Capacity  
153L Fridge, 89L Freezer,  
Total No Frost,  
Super cooling, Super freezing  
Holiday function, Open door Alarm  
Reversible doors  
Sliding Door hinges



**HCR7818DNMM**  
Multidoor American Fridge freezer



2 Year  
Warranty

467L Capacity  
Fridge 311L, Freezer 156L  
External Touch display  
Humidity zone, Daylight  
Haier Air Surround  
Inox/Silver  
H1815 x W833 x D650



**HADG9CBS4BWIFI**  
90cm Angled Wifi Hood



5 Power Speeds  
Extraction rate 650m3/h  
Touch controls, Timer  
LED Lighting , Noise Level 62dB  
Extraction or Recirculation  
Charcoal Filters included




**HAIH6IESCF**  
60cm Vented Induction Hob



Central slide control interface  
Dual Flex zones  
Extraction Rate - 459m3/h  
Noise level – 64 dB  
Child Lock, Charcoal filters &  
Recirculation kit included  
7.4kw connected load



**HAIH8IFMCF**  
80cm Vented Induction Hob



Central slide control interface  
Dual Flex zones  
Extraction Rate - 459m3/h  
Noise level – 64 dB  
Child Lock, Charcoal filters &  
Recirculation kit included  
7.4kw connected load



## XI1C3TB2FB-80 45cm Slimline Dishwasher



11 Place settings, 8 Programmes  
Third cutlery draw, Foldable Racks  
Height adjustable basket  
Auto Door opening, Floor Light  
Eco function, Noise Level 43dB



## XI6C4S3FSB-80 60cm Dishwasher



16 Place settings, 10 Programmes  
Third cutlery draw, Foldable Racks  
Power wash function, Sliding hinge  
Auto Door opening, Smart AI pro  
Noise Level 44dB



## HWQ90B416F Integrated Washing Machine



9kg Capacity, 1600 rpm  
15+1 Programmes, Eco 40-60  
Unique KG detector for ultimate efficiency  
Steam Function, Express 14  
24 hour Delay Start  
Noise Level 76dB  
Also available in White



## HDB4H7A2T Integrated Heat Pump Tumble Dryer



7kg Capacity  
15 Programmes, 3 Dryness levels  
Unique KG detector for ultimate efficiency  
Indoor warer container  
24 hour Delay Start  
Noise Level 67dB  
Also available in White



## HWDQ90B416F Integrated Washer Dryer



9kg / 5kg Capacity, 1600 rpm  
15+1 Programmes, Eco 40-60  
Unique KG detector for ultimate efficiency  
Steam Function  
Express 14, 24 hour Delay Start  
Noise Level 76dB  
Also available in White



# Haier Heroes

## H6ID68M5YTB1 Multifunction Pyrolytic Wifi Oven with AI Camera



Premium TFT display  
AI Cooking Camera  
78L Large Capacity  
25 Functions including Airfry, Pyrolytic  
7 Shelf Levels, Telescopic runners  
Wireless Probe  
Door Lighting, Soft close door  
Connected Load 3.3kw



## H4MWID69P6NQB Combination Wifi Microwave



Premium TFT display  
44L Capacity,  
14 Functions including Airfry  
6 Power Levels,  
900W Microwave, 2500W Grill  
Soft open & Close door  
Includes wired Meat Probe



## HAMTB86IRCS 80cm VariCook WIFI Induction Hob



15 power levels  
VariCook flexible zone  
Slide touch control interface  
Timer, Over-spill alert  
Child lock  
Easy clip install  
Connected Load 7.4kw



## XS6A4M4PB-80 60cm IPRO SHINE Dishwasher



16 Place setting  
Third Drawer  
Maxi Tub  
10 Programmes  
Power functions  
Unique Washing system  
Automatic cycles  
Auto Door opening  
Sliding Hinges



## HBW7518CTK Total No Frost 70/30

Total Capacity 268L  
Fridge 182L, Freezer 86L  
Fridge daylight & Freezer light  
Flexi wine rack  
Super cooling  
Holiday function  
Noise Level: 37dB  
Fast efficient installation  
Sliding Hinges  
Reversible



**No.1 Global Major  
Appliances Brand\***  
for 15 Consecutive Years

**1**  
Global No.1  
2009-2023

**Haier**  
**5**  
YEARS LABOUR  
WARRANTY  
10 YEARS PARTS

**5 YEARS LABOUR,  
10 YEARS PARTS WARRANTY**

Haier offers a comprehensive **After Sales Service Promise** to cover every eventuality. All Haier Built-in appliances and selected Freestanding appliances come with a 10 year parts and 5 year labour warranty.

\*Source: Euromonitor International 2023.

## HTO5A3 Toaster



21 Customisable Programmes  
Memory function;  
7 Toasting Levels

## HKE5A Kettle



Precise Temperature  
Options: 40° to 100°  
Sound Alert

## HMB5A Beverage Centre



7 Programmes  
LED Touch Controls  
Accessories: Metal Filter,  
Cleaning Brush, Doser

## HAF5TWA3 Multi Air Fryer



Temperature: 40-200°C  
9 Functions  
Accessories: Baking tray,  
Deep dish, Grill rack



FARMHOUSE



The Belling **Farmhouse** collection combines traditional style with Belling’s reputation for reliability. The charming style with a slight modern twist helps these range cookers to work just as well in a contemporary setting, coming in 90cm, 100cm or 110cm on request. The new Belling Ranges have been designed with Large capacity cooking at the fore front of mind; the new designed ovens are perfect for big batch cooking and Sunday roasts coming with a minimum of 3 cavities with the latest Air fry function inclusive in all ranges to perfect them roast potatoes.

Belling offers three fuelling options to suit your preferences Dual Fuel (DF), Electric (E) and Electric Induction (Ei).

FARMHOUSE90DFANT	FARMHOUSE100DFANT
FARMHOUSE90DFBLK	FARMHOUSE100DFBLK
FARMHOUSE90DFCRM	FARMHOUSE100DFCRM
FARMHOUSE90EANT	FARMHOUSE100EANT
FARMHOUSE90EBLK	FARMHOUSE100EBLK
FARMHOUSE90ECRM	FARMHOUSE100ECRM
FARMHOUSE90EiANT	FARMHOUSE100EiANT
FARMHOUSE90EiBLK	FARMHOUSE100EiBLK
FARMHOUSE90EiCRM	FARMHOUSE100EiCRM

**DF** All 90cm DF ranges come with 5 Gas Burner hob, including a powerful central 4KW wok burner, all 100cm & 110cm ranges with DF will come with 7 Burner gas hob including a powerful 4KW wok burner. These hardwearing, raised cast iron pan supports are a small addition that makes your hob easier and safer to use. Their ergonomic design creates a sturdier surface to stop pans from toppling, even if they’re placed off-centre. Plus, they’re easy-to-clean, make pans easier to move across the surface and help protect your hob from scratches.

FARMHOUSE  
HOOD

CHIM90PYRBLK
CHIM90PYRSTA
CHIM100PYRBLK
CHIM100PYRSTA



COOKCENTRE



The Belling **Cookcentre** collection offers a well-engineered range cooker with stunning good looks and modern lines, whilst being a brilliant option for those with a budget in mind, available in 90cm, 100cm & 110cm on request. The new Belling Ranges come with a minimum of 3 cavities, they’ve been designed with large capacity ovens, perfect for big batch cooking and Sunday roasts with the latest Air fry function which are a must for busy families. This built-in feature gives you all the energy-efficiency, health benefits and crunch of an air fryer with all the space of your traditional oven – and eliminates that extra appliance cluttering up your counter-top.

COOKCENTRE90DFBLK	COOKCENTRE100DFBLK
COOKCENTRE90DFSTA	COOKCENTRE100DFSTA
COOKCENTRE90EBLK	COOKCENTRE100EBLK
COOKCENTRE90ESTA	COOKCENTRE100ESTA
COOKCENTRE90EiBLK	COOKCENTRE100EiBLK
COOKCENTRE90EiSTA	COOKCENTRE100EiSTA

COOKCENTRE  
HOOD

CHIM90TBLK
CHIM90TSTA
CHIM100TBLK
CHIM100TSTA



BI603MF

- > 72 Litre capacity
- > 8 Cooking functions
- > Equiflow™ technology
- > Retractable controls



BI603MFC

- > 72 Litre capacity
- > 8 Cooking functions
- > Equiflow™ technology
- > Retractable controls
- > Catalytic Liner



BI603MFPY

- > 72 Litre capacity
- > Multifunction
- > Pyrolytic
- > 13 Cooking functions
- > Equiflow™ technology
- > Touch Control



BI703MFC

- > 54L / 38L Capacity
- > Multifunction
- > 9 Cooking functions
- > Equiflow™ technology
- > Retractable controls
- > Two soft close doors
- > Full top oven Grill
- > Defrost function
- > Pizza function



BI903MFC

- > 72L / 38L Capacity
- > Multifunction
- > 4 Cooking functions
- > Equiflow™ technology
- > Two soft close doors
- > Full top oven Grill
- > Defrost function
- > Pizza function

BI603MFBK or  
BI603MFSS

BI603MFCBK or  
BI603MFCSS

BI603MFPYSS

BI703MFCBK or  
BI703MFCSS

BI903MFCBK or  
BI903MFCSS



BIMWG6017

- > Built in microwave
- > 700w microwave power
- > 1000w grill function
- > 5 power levels
- > 8 automatic cooking programmes
- > Automatic defrost by weight
- > Stainless Steel
- > H382 W594 D321 (inc fascia)

BIMWG6017



BI602FP

- > 70 Litre capacity
- > Multifunction
- > Pyrolytic
- > 8 Cooking functions
- > Equiflow™ technology
- > Touch Control

BI602FP-BK or  
BI602FP-SS



BI702CTFP

- > 54L / 38L Capacity
- > Built under double
- > Programmable Timer
- > 5 Cooking functions
- > Equiflow™ technology
- > Slow cook option
- > Defrost function


BI702CTFP-BK or  
BI702CTFP-SS



BI902FP

- > 72L / 44L Capacity
- > Programmable Timer
- > 5 Cooking functions
- > Equiflow™ technology
- > Slow cook option
- > Defrost function

BI902FP-BK or  
BI902FP-SS



### CH602TX

- > 60cm Ceramic hob
- > Touch control slider
- > 4 zone boost mode
- > Digital display
- > Timer function
- > **Child safety lock**



### IHT603

- > 60cm Induction hob
- > Touch control slider
- > 4 zone boost mode
- > Digital display with Timer
- > **Child safety lock**



### IHT6013

- > 60cm Induction hob
- > Touch control slider
- > 4 zone boost mode
- > Digital display with Timer
- > **Child safety lock**

**13amp  
connection**



### IHL603

- > 60cm Induction
- > **LINK+ bridge zone**
- > Touch control slider
- > 4 zone boost mode
- > Digital display
- > Timer function
- > **Child safety lock**



### IHL773

- > 77cm Induction
- > **LINK+ bridge zone**
- > Touch control slider
- > 4 zone boost mode
- > Digital display
- > Timer function
- > **Child safety lock**



### GHU603CISS

- > 60cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Stainless Steel



### GHU753CISS

- > 75cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Stainless Steel



### GTG603RIBK

- > 60cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Black Ceramic Glass



### GTG753CIBK

- > 75cm Gas Hob
- > Cast iron pan support
- > LPG kit available
- > **3.6 Wok Burner**
- > Black Ceramic Glass



### BELCHIM603PYR 60cm

- > **Powerful 488 m³/h extraction**
- > 3 speed settings
- > LED lights
- > Stainless steel
- > Charcoal filter CFILT4200
- > Belling branded



### BELCHIM603PYR-BK 60cm

- > **Powerful 488 m³/h extraction**
- > 3 speed settings
- > LED lights
- > Black
- > Charcoal filter CFILT4200
- > Belling branded



### BEL603ANG 60cm

- > **Powerful 640 m³/h extraction**
- > 3 speed settings plus boost
- > LED lights
- > Black angled glass
- > Charcoal filter CFILT4200
- > Belling branded



### BELCHIM803T 80cm

- > **Powerful 580m³/h extraction**
- > 3 speed settings
- > LED lights
- > Stainless Steel
- > Charcoal filter CFILT42001
- > Belling branded

**80cm**  
Ideal above  
a 75cm hob



### WC150

- > Wine Cooler
- > 7 bottle capacity
- > Digital temperature 5-22°C
- > Reversible door
- > 148 x 870 x 525mm
- > **Stainless steel**
- > **Glass door**


G



### WC300

- > Wine Cooler
- > 18 bottle capacity
- > Digital thermostat 5-22°C
- > Digital temperature display
- > Reversible door
- > 295 x 870 x 568mm
- > **Stainless steel**
- > **Glass door**

G



### WC600

- > Wine Cooler
- > 46 bottle capacity
- > Digital thermostat 5-22°C
- > Two zones
- > Digital temperature display
- > Reversible door
- > 595 x 870 x 568mm
- > **Stainless steel**
- > **Glass door**

G



### WC150-BK

- > Wine Cooler
- > 7 bottle capacity
- > Digital temperature 5-22°C
- > Reversible door
- > 148 x 870 x 525mm
- > **All Black**
- > **Glass door**

G



### WC300-BK

- > Wine Cooler
- > 18 bottle capacity
- > Digital thermostat 5-22°C
- > Digital temperature display
- > Reversible door
- > 295 x 870 x 568mm
- > **All Black**
- > **Glass door**

G



### WC600-BK

- > Wine Cooler
- > 46 bottle capacity
- > Digital thermostat 5-22°C
- > Two zones
- > Digital temperature display
- > Reversible door
- > 595 x 870 x 568mm
- > **All Black**
- > **Glass door**

G

### IDW60

- > 60cm fully integrated slimline dishwasher
- > 6 wash temperatures
- > 6 temperature settings
- > LED digital display
- > 14 place settings
- > Economy and Quick wash
- > Half load option
- > Delay start timer
- > Adjustable upper basket
- > Residual heat drying
- > Stainless steel interior



D

> **Low 11 litre water consumption**

### IDW450

- > 45cm fully integrated slimline dishwasher
- > 6 wash temperatures
- > 6 temperature settings
- > LED digital display
- > 10 place settings
- > Economy and Quick wash
- > Half load option
- > Delay start timer
- > Adjustable upper basket
- > Residual heat drying
- > Stainless steel interior



D

> **Low 9 litre water consumption**





CLASSIC OVENS



- C2231**

  - › Electric Single Oven
  - › MotionHeat+ technology
  - › **A energy**
  - › 5 functions
  - › Minute minder
  - › 67 litres
  - › Fuse rating 13A, rated load 2.34kW
- C2234**

  - › Electric Single Oven
  - › MotionHeat+ technology
  - › **A energy**
  - › 5 functions
  - › Programmable LED electronic timer
  - › 67 litres
  - › Fuse rating 13A, rated load 2.34kW
- C2234BK**

  - › Electric Single Oven
  - › MotionHeat+ technology
  - › **A energy**
  - › 5 functions
  - › Programmable LED electronic timer
  - › 67 litres
  - › Fuse rating 13A, rated load 2.34kW
- C2237**

  - › Electric Single Oven
  - › MotionHeat+ technology
  - › **A energy**
  - › 9 functions
  - › Programmable LED electronic timer
  - › 67 litres
  - › Fuse rating 16A, rated load 3.2kW
- C2220**

  - › Electric Single Oven
  - › MotionHeat+ technology
  - › **A energy**
  - › 5 functions
  - › Side opening reversible Door
  - › Programmable LED electronic timer
  - › 67 litres
  - › Fuse rating 13A, rated load 2.34kW



- C2239**

  - › **Pyrolytic** Electric Single Oven
  - › MotionHeat+ technology
  - › **A energy**
  - › 11 functions
  - › Programmable LED electronic timer
  - › 67 litres
  - › Fuse rating 20A, rated load 3.57kW
- C3249**

  - › Electric Double Oven
  - › **A/A energy**
  - › Top oven 4 functions
  - › Main oven 8 functions
  - › 40/61 litres
  - › Fuse rating 32A, rated load 5.19kW
- C3246**

  - › Electric Double Oven
  - › **A/A energy**
  - › Top oven 4 functions
  - › Main oven 4 functions
  - › 40/61 litres
  - › Fuse rating 32A, rated load 5.19kW
- C4246**

  - › Electric Built-Under Oven
  - › **A/A+ energy**
  - › Top oven 4 functions
  - › Lower oven 8 functions
  - › 40/42 litres
  - › Fuse rating 20A, rated load 4.7kW

ACCESSORIES



- HANDLE10BK**
- › Metal handle for single 60cm ovens only
  - › Black finish
  - › For all Classic ovens



- CKNOB5BK**
- › 2 x Metal dial control
  - › Black finish
  - › For all Classic ovens and gas hobs



PREMIUM GUARANTEED

Get an exclusive 5-year guarantee on all Caple appliances, when you purchase any Sense Premium oven or microwave at the same time. We understand the importance of durability, and that's why we stand behind the quality of our products.

\*Terms and conditions apply. See website for full details. 5 year guarantee will be applicable to all Caple appliances purchased alongside a Sense Premium oven or microwave at the same time. To activate the guarantee, you must register the purchase of your products and provide proof of purchase. Offer applies when purchasing any Sense Premium oven or microwave. C2600, C2601 and CMS260 models are included in any colour finish.

CLASSIC MICROWAVES



- CM130**

  - › Built-in Microwave and Grill
  - › 25 litre capacity
  - › Height 388mm
  - › Fuse rating 13A, rated load 2.15kW
- CM120**

  - › Built-in Wall Microwave and Grill
  - › 17 litre capacity
  - › Height 382mm
  - › Fuse rating 13A, rated load 1.05kW
- CM121BK**

  - › Built-in Wall Microwave and Grill
  - › 17 litre capacity
  - › Height 382mm
  - › Fuse rating 13A, rated load 1.05kW
- CM123**

  - › Built-in Microwave and Grill with frame
  - › 25 litre capacity
  - › Height 460mm
  - › Fuse rating 13A, rated load 1.45kW
- CM123BK**

  - › Built-in Microwave and Grill with frame
  - › 25 litre capacity
  - › Height 460mm
  - › Fuse rating 13A, rated load 1.45kW



- CM126**

  - › Built-in Combination Microwave and Grill with frame
  - › 25 litre capacity
  - › Height 460mm
  - › Fuse rating 13A, rated load 2.5kW
- CM108SS**

  - › Built-in Microwave
  - › Stainless steel and black glass
  - › 4 functions
  - › Touch control
  - › 40 litres capacity
  - › Height 450mm
  - › Fuse rating 10A, rated load 1.5kW
- CM108BK**

  - › Built-in Microwave
  - › Black glass
  - › 4 functions
  - › Touch control
  - › 40 litres capacity
  - › Height 450mm
  - › Fuse rating 10A, rated load 1.5kW

CLASSIC WARMING DRAWERS



- WD140CLSS**

  - › Warming Drawer
  - › Black glass with stainless steel trim
  - › Height 140mm
  - › 25kg capacity
  - › 30°C - 75°C
- WD140CLBK**

  - › Warming drawer
  - › Black glass
  - › Height 140mm
  - › 25kg capacity
  - › 30°C - 75°C



Sense

C2362BG | WC6100BG

SENSE COOKING



C2362BG

- › **Black Glass**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 8 functions
- › 67 litre capacity
- › Touch control with programmable electronic timer
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW
- › Dial controls



C2101BG

- › **Black Glass**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 10 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW



C2106BG

- › **Black Glass Soft Close**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 13 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW



C2403BG

- › **Black Glass Pyrolytic**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 14 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.57kW



C3371BG

- › **Black Glass**  
Electric Double Oven
- › **A/A energy**
- › Top Oven 4 functions
- › Main Oven 8 functions
- › 40/61 litres



CM1081BG

- › **Black Glass**  
Built-in Microwave
- › 4 functions
- › Touch control
- › 40 litre capacity
- › Height 450mm
- › 8 Auto cooking programmes



CM111BG

- › **Black Glass**  
Built-in Combi Microwave
- › 10 functions
- › Touch control
- › 40 litre capacity
- › Height 450mm
- › 8 Auto cooking programmes
- › Fuse rating 13A, rated load 2.55kW



CM465BG

- › **Black Glass** Coffee Machine
- › Touch control with white LCD display
- › Fully automatic
- › Adjustable bean grinder
- › Milk jug included



WD140BG

- › **Black Glass** Warming Drawer
- › Height 140mm
- › 25kg capacity
- › 30°C - 75°C

ACCESSORIES



SHELFCOVBK

- › Shelf end cover for oven/combi installation, Black



SHELFCOVSS

- › Shelf end cover for oven/combi installation, Stainless Steel



HANDLE10GD

HANDLE10CO

- › Metal handle
- › Gold or Copper finish
- › For single 60cm ovens and 45cm microwaves\*



\*Handles for microwaves [CM1081 / CM111 / CMS260] must be ordered at the same time as the appliance, they cannot be fitted after delivery.



Sense

WC6100GM | CM465GM | WD140GM

SENSE COOKING



C2106GM

- › **Gunmetal Soft Close**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 13 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW



C2403GM

- › **Gunmetal Pyrolytic**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 14 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.57kW



S0111GM

- › **Gunmetal Built-in**  
Combi Steam Oven
- › **A+ energy**
- › 11 functions
- › Touch control
- › Steam cooking 40°C - 100°C
- › 40 litre capacity
- › Fuse rating 16A, rated load 3.05kW



CM111GM

- › **Gunmetal Built-in**  
Combi Microwave
- › 10 functions
- › Touch control
- › 40 litre capacity
- › 8 Auto cooking programmes
- › Fuse rating 13A, rated load 2.55kW



CM465GM

- › **Gunmetal** Coffee Machine
- › Touch control with white LCD display
- › Fully automatic
- › Adjustable bean grinder
- › Milk jug included



WD140GM

- › **Gunmetal** Warming Drawer
- › Height 140mm
- › 25kg capacity
- › 30°C - 75°C



C2105SS

- › **Stainless Steel Soft Close**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 13 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.22kW



C2402SS

- › **Stainless Steel Pyrolytic**  
Electric Single Oven
- › MotionHeat+ technology
- › **A energy**
- › 14 functions
- › 67 litre capacity
- › Touch control
- › 2 sets of full extension telescopic runners
- › Fuse rating 16A, rated load 3.57kW



S0111SS

- › **Stainless Steel Built-in**  
Combi Steam Oven
- › **A+ energy**
- › 11 functions
- › Touch control
- › Steam cooking 40°C - 100°C
- › 40 litre capacity
- › Fuse rating 16A, rated load 3.05kW



CM111SS

- › **Stainless Steel Built-in**  
Combi Microwave
- › 10 functions
- › Touch control
- › 40 litre capacity
- › 8 Auto cooking programmes
- › Fuse rating 13A, rated load 2.55kW



CM465SS

- › **Stainless Steel** Coffee Machine
- › Touch control with white LCD display
- › Fully automatic
- › Adjustable bean grinder
- › Milk jug included



WD140SS

- › **Stainless Steel** Warming Drawer
- › Height 140mm
- › 25kg capacity
- › 30°C - 75°C





5

YEARS OF CAPLE  
GUARANTEED

**BETTER TOGETHER**  
Purchase any Sense Premium cooking product, and get an exclusive 5-year guarantee on all Caple appliances purchased at the same time. T+C'S apply see caple.co.uk for more information.

# Sense Premium

C2601BG | WC6100BG | HANDLE10GD

## SENSE PREMIUM COOKING

**C2601BG**

- Black Glass Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- Airfry tray [AIRFRY2] included
- 23 functions, 67 litre capacity
- 2 Sets of full extension telescopic shelves
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465BG]

**C2600SS**

- Stainless Steel Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- 23 functions, 67 litre capacity
- 2 Sets of full extension telescopic shelves
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465SS]

**C2601GM**

- Gunmetal Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- Airfry tray [AIRFRY2] included
- 23 functions, 67 litre capacity
- 2 sets of full extension telescopic runners
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465GM]

**C2601BS**

- Black Steel Smart Tech Pyrolytic oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- MotionHeat+ technology
- A energy
- Airfry tray [AIRFRY2] included
- 23 functions, 67 litre capacity
- 2 Sets of full extension telescopic shelves
- Fuse rating 16A, rated load 3.57kW
- Matching Coffee Machine available [CM465BS]

**CMS260BG**

- Black Glass Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

**CMS260SS**

- Stainless Steel Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

**CMS260GM**

- Gunmetal Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

**CMS260BS**

- Black Steel Microwave and Steam Combination Oven
- WiFi connectivity
- CapleTouch+ TFT Touch control
- Programmable timer
- Multi-stage cooking
- 15 functions, 40 litre capacity
- Fuse rating 16A, rated load 3.05kW

**WD140BG**

- Black Glass Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

**WD140SS**

- Stainless Steel Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

**WD140GM**

- Gunmetal Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

**WD140BS**

- Black Steel Warming Drawer
- Height 140mm / 25kg capacity
- 30°C - 75°C

## INDUCTION HOBS

**C8400i**

- 590mm width
- Dial controls
- Frameless
- 4 zones
- 4 boosters

**C841i**

- 590mm width
- Touch controls
- Frameless
- 4 zones
- Supplied with a 13A plug
- Fuse rating 13A
- Rated load 3kW

**C845i**

- 590mm width
- Touch controls
- Frameless
- 4 zones
- 4 boosters
- Fuse rating 25A
- Rated load 7.2kW

**C847i**

- 590mm width
- Slider touch controls
- Frameless
- 4 zones
- Fuse rating 25A
- Rated load 7kW

**C8641i**

- 770mm width
- Slider touch controls
- Frameless
- 4 zones
- 4 boosters
- Fuse rating 25A
- Rated load 7.4kW

**C8641iGM**

- Gunmetal hob
- 770mm width
- Slider touch controls
- Frameless
- 4 zones
- 4 boosters
- Fuse rating 25A
- Rated load 8.7kW

**C901i**

- 880mm width
- Slider touch controls
- Frameless
- 5 zones
- 5 boosters
- Fuse rating 25A
- Rated load 7.4kW

**C990i**

- Sense Premium Full surface, zoneless induction hob
- 920mm width
- Smart pan detection
- Automatic pan move
- Touch control with full colour TFT screen
- 21 Power levels, 6 Boosters
- Fuse rating 40A
- Rated load 11.1kW

**PANSET**

- 4 Piece induction hob pan set

**iGRIDDLE3**

- Cast iron induction hob griddle for induction hobs
- Dishwasher safe

## CERAMIC HOBS

**C809C**

- 590mm width
- Metal dial controls
- Frameless
- 4 zones
- Fuse rating 25A, rated load 6.6kW
- Black dials available [CKNOB5BK]

**C817C**

- 590mm width
- Touch controls
- Frameless
- 4 zones
- Fuse rating 25A, rated load 6.6kW



# Plasma

## INTRODUCING OUR ADVANCED FILTER

This compact powerhouse not only rids odours with plasma but also tackles fine dust and contaminants using cutting-edge electrostatic discharge [ESD] technology all combined in one filter, making it one of a kind and worldwide patented.

Compatible with Caple Plasma filters



### PLASMA EXPLAINED

Scan to watch the installation process and uncover the functionality of these advanced filters.



#### GUC1212

- › For hoods with extraction rate up to 600m3/h
- › Filter technology: Plasma and ESD
- › Inlet diameter: ø150mm
- › Power consumption: 8Wh
- › Weight: 0,75 kg
- › Dimensions: ø180 x 195 mm
- › Lifespan: 10/15 years
- › Warranty: 2 years [extended to 5 years if registered]



#### GUC1214

- › For hoods with extraction rate up to 1000m3/h
- › Filter technology: Plasma and ESD
- › Inlet diameter: ø150mm
- › Power consumption: 8Wh
- › Weight: 1,55 kg
- › Measurements: ø210 x 300 mm
- › Lifespan: 10/15 years
- › Warranty: 2 years [extended to 5 years if registered]



#### GUC1314

- › For hoods with extraction rate up to 1000m3/h
- › Filter technology: Plasma and ESD
- › Inlet diameter: 220 x 90mm
- › Power consumption: 8Wh
- › Weight: 1,90 kg
- › Measurements: 341 x 96 x 372 mm
- › Lifespan: 10/15 years
- › Warranty: 2 years [extended to 5 years if registered]



## INDUCTION DOWNDRAFTS

Compatible with Caple Plasma filters – see page 38




#### DD780BK

- › Plinth motor included
- › 780mm width
- › Touch control
- › 4 induction zones
- › 4 boosters
- › **A energy**
- › Recirculation kit CAP81CF included
- › Plasma filter GUC1314



#### DD610BK

- › Black grille
- › Integrated motor included
- › 600mm width
- › Slider touch control
- › 4 induction zones
- › 4 boosters
- › **B energy**
- › Recirculation kit CAP83CF
- › Ducting kit KIT/960W for use with recirculation kit
- › Additional replacement charcoal filter CAP84CF
- › Plasma Filter GUC1314



#### GUC1314

- › For hoods with extraction rate up to 1000m3/h



#### C950GL

- › Required when using Plasma with DD810BK and DD610BK



#### PANSETDD

- › 4 Piece downdraft Induction hob pan set



#### iGRIDDLE3

- › Cast iron induction hob griddle for induction hobs
- › Dishwasher safe



#### DD810BK

- › Integrated motor included
- › 800mm width
- › Slider touch control
- › 4 induction zones
- › 4 boosters
- › **A+ energy**
- › Recirculation kit CAP83CF
- › Ducting kit KIT/960W for use with recirculation kit
- › Additional replacement charcoal filter CAP84CF
- › Plasma Filter GUC1314



#### DD820BK

- › Black grille
- › Plinth motor included
- › 800mm width
- › Slider touch control
- › 4 induction zones
- › 4 boosters
- › **A energy**
- › Recirculation kit CAP83CF
- › Ducting kit KIT/961W for use with recirculation kit
- › Additional replacement charcoal filter CAP84CF
- › Plasma Filter GUC1314



## GAS HOBS



### C706G

- › 580mm Gas Hob
- › Enamelled pan supports
- › Flame safety device
- › 4 burners - including 1 triple ring burner
- › Fuse rating 3A



### C744G

- › 580mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Black dials available [CKNOB5BK]



### C750G

- › 590mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Rated load 7.5kW



### C886G

- › 586mm Gas Hob
- › Black glass with gunmetal control panel
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Rated load 7.66kW



### C7061G

- › 591mm Gas Hob
- › Dial controls
- › Magnetic cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A
- › Rated load 8.5kW



### C786G

- › 584mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 4 burners
- › Fuse rating 3A



### C768G

- › 750mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A



### C887G

- › 700mm Gas Hob
- › Black glass with gunmetal control panel
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 10.06kW



### C7071G

- › 760mm Gas Hob
- › Dial controls
- › Magnetic cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 11.5kW



### C787G

- › 700mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A



### C775G

- › 860mm Gas Hob
- › Dial controls
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A



### C889G

- › 876mm Gas Hob
- › Black glass with gunmetal control panel
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 10.06kW



### C7091G

- › 860mm Gas Hob
- › Dial controls
- › Magnetic cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A
- › Rated load 11.5kW



### C789G

- › 874mm Gas Hob
- › Cast iron pan supports
- › Flame safety device
- › 5 burners
- › Fuse rating 3A

## WALL CHIMNEY HOODS



Compatible with Caple Plasma filters – see page 38



### AH600BK

- › 600mm width
- › Black Painted Steel
- › Push button controls
- › **C energy** / 280m3/h
- › For use in 3m x 3m kitchens
- › Recirculation kit CAP60CF



### CCH601SS [SHOWN]

#### CCH601BK

- › 600mm width
- › Stainless Steel [CCH601SS]
- › Black [CCH601BK]
- › Push button controls
- › **C energy** / 305m3/h
- › Recirculation kit CAP60CF



### CCH701

- › 700mm width
- › Stainless Steel
- › Push button controls
- › **C energy** / 305m3/h
- › Recirculation kit CAP60CF



### CCH901SS [SHOWN]

#### CCH901BK

- › 900mm width
- › Stainless Steel [CCH901SS]
- › Black [CCH901BK]
- › Push button controls
- › **C energy**
- › 305m3/h
- › Recirculation kit CAP60CF



### BXC611 [SHOWN]

#### BXC911

- › 600mm width [BXC611]
- › 900mm width [BXC911]
- › Stainless Steel
- › Touch controls
- › **C energy**
- › 456m3/h [BXC611]
- › 571m3/h [BXC911]
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



### CGC611SS

#### CGC611BK [SHOWN]

- › 600mm width
- › Stainless Steel and Glass [CGC611SS]
- › Black and Glass [CGC611BK]
- › Push button controls
- › **C energy** / 456m3/h
- › Recirculation kit CAP75CF
- › Plasma Filter GUC1212



### CGC711SS [SHOWN]

#### CGC711BK


- › 700mm width
- › Stainless Steel and Glass [CGC711SS]
- › Black and Glass [CGC711BK]
- › Push button controls
- › **C energy** / 456m3/h
- › Recirculation kit CAP75CF
- › Plasma Filter GUC1212



### CGC911SS

#### CGC911BK [SHOWN]


- › 900mm width
- › Stainless Steel and Glass [CGC911SS]
- › Black and Glass [CGC911BK]
- › Push button controls
- › **C energy** / 456m3
- › Recirculation kit CAP75CF
- › Plasma Filter GUC1212



### OM600 [SHOWN]

#### OM900

- › 600mm width [OM600]
- › 900mm width [OM900]
- › Black Glass
- › Illuminated LED touch controls
- › **C energy** / 456m3/h
- › Recirculation kit CAP60CF



### FGC621

- › 600mm width
- › Stainless Steel and Glass
- › Touch controls
- › **B energy** / 654m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



### FGC720

- › 700mm width
- › Stainless Steel and Glass
- › Push button controls
- › **D energy**
- › 580m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



### FGC920

- › 900mm width
- › Stainless Steel and Glass
- › Push button controls
- › **D energy**
- › 580m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



### ATA901

- › 900mm width
- › Black Glass
- › Illuminated LED touch controls
- › **A energy**
- › 612m3/h
- › Recirculation kit CAP61CF



### SP612SS [SHOWN]

#### SP612BK

- › 600mm width
- › Stainless Steel and Glass [SP612SS]
- › Black and Black Glass [SP612BK]
- › Touch controls
- › **A energy** / 612m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



### SP912SS

#### SP912BK [SHOWN]

- › 900mm width
- › Stainless Steel and Glass [SP912SS]
- › Black and Black Glass [SP912BK]
- › Touch controls
- › **A energy** / 612m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



### ZC622

#### ZC922 [SHOWN]

- › 600mm width [ZC622] / 900mm width [ZC922]
- › Stainless Steel and Black Glass
- › Illuminated touch controls
- › **B energy**
- › 570m3/h [ZC622] / 587m3/h [ZC922]
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



### ZEL900

#### ZEL900GM [SHOWN]

- › 900mm width
- › Aluminium with Black Glass [ZEL900]
- › Gunmetal with Black Glass [ZEL900GM]
- › Illuminated LED touch controls
- › **A energy** / 612m3/h
- › Recirculation kit CAP61CF




ISLAND HOODS

OPTIONAL PLASMA Compatible with Caple Plasma filters – see page 38



BXi911

- › 900mm width
- › Stainless Steel
- › Touch controls
- › **D energy** / 605m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212




CGi921

- › 900mm width
- › Stainless Steel and Glass
- › Touch controls
- › **A energy** / 617m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



Zi922

- › 900mm width
- › Stainless steel and Black Glass
- › Large LED light panel
- › Illuminated touch controls
- › **B energy** / 581m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1212



INCH

- › 600mm width
- › Slider controls
- › **C energy**
- › 285m3/h
- › Furniture door is not included
- › Adjustable extraction outlet
- › Recirculation kit CAP73CF
- › Plasma Filter GUC1212

BUILT-UNDER HOODS

OPTIONAL PLASMA Compatible with Caple Plasma filters – see page 38



BUCH

- › 520mm width
- › Stainless Steel
- › Slider controls
- › **C energy**
- › 286m3/h
- › Recirculation kit CAP73CF
- › Plasma Filter GUC1212




BUCH75

- › 750mm width
- › Stainless Steel
- › Slider controls
- › **D energy**
- › 426m3/h
- › Recirculation kit CAP85CF



TSCH601

- › Telescopic hood
- › 600mm width
- › Stainless Steel / Grey
- › Dual switch controls
- › **C energy**
- › 291m3/h
- › Recirculation kit CAP60CF
- › Plasma Filter GUC1212



TSCH901

- › Telescopic hood
- › 900mm width
- › Stainless Steel / Grey
- › Dual switch controls
- › **C energy**
- › 291m3/h
- › Recirculation kit CAP60CF
- › Plasma Filter GUC1212



BU525BK

- › 520mm width
- › Black Glass
- › Touch controls
- › **B energy**
- › 621m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



BU755BK

- › 750mm width
- › Black Glass
- › Touch controls
- › **B energy**
- › 657m3/h
- › Recirculation kit CAP61CF
- › Plasma Filter GUC1214



BU521

- › 520mm width
- › Stainless Steel
- › Electronic controls
- › **B energy**
- › 604m3/h
- › Recirculation kit CAP66CF
- › Plasma Filter GUC1212

VENTING KITS

C202-6W

- › 150mm venting kit
- › 1 metre flexible venting kit

C2653WGL

- › 150mm venting kit
- › Highly efficient
- › For hoods with extraction over 500m3/h
- › 3 metre venting kit

INTEGRATED HOOD



INTEGRATED REFRIGERATION



RBL6

- › Built-under Larder Fridge
- › **E energy**
- › Glass shelves
- › Deluxe silver trimmed door balconies
- › 134 litre capacity



RBF6

- › Built-under Freezer
- › **E energy**
- › 96 litre capacity



RBR8

- › Built-under Larder Fridge with ice box
- › **E energy**
- › 17 litre capacity ice box
- › Glass shelves
- › Deluxe silver trimmed door balconies
- › 98 litre capacity fridge



RiL893

- › Larder Fridge
- › 880mm height
- › **E energy**
- › Glass shelves
- › Deluxe steel trimmed interior
- › 135 litre capacity



RiF893

- › Freezer
- › 880mm height
- › **E energy**
- › 77 litre capacity



RiL126

- › Larder Fridge
- › 1220mm height
- › **E energy**
- › Deluxe steel trimmed interior
- › Glass shelves
- › 197 litre capacity



RiF126

- › Freezer
- › 1220mm height
- › **E energy**
- › Reversible door
- › Sliding door installation
- › 127 litre capacity



RiR125

- › Larder Fridge with ice box
- › 1220mm height
- › **E energy**
- › Deluxe steel trimmed interior
- › Glass shelves
- › 163 litre capacity fridge
- › 16 litre capacity ice box



Ri5502

- › 50/50 Fridge Freezer
- › 1770mm height
- › **E energy**
- › Mechanical controls
- › Glass shelves
- › 148 / 96 litre capacity



Ri7303

- › 70/30 Fridge Freezer
- › 1770mm height
- › **E energy**
- › Mechanical controls
- › Glass shelves
- › 181 / 70 litre capacity

SPLASHBACKS



TSBCURVE600BK

TSBCURVE700BK

TSBCURVE900BK

- › Black [BK]

- › Available in 595mm, 695mm and 895mm widths
- › H 750mm [at highest point]
- › Curved profile to suit Caple CGC611 / 711 / 911

TSBCURVE600PT

TSBCURVE700PT

TSBCURVE900PT

- › Pewter [PT]



INTEGRATED REFRIGERATION



- Ri5508**
- › 50/50 Frost-free Fridge Freezer
  - › 1770mm height
  - › **E energy**
  - › Electronic controls
  - › Caple Fresh technology
  - › Deluxe steel trimmed interior
  - › Glass shelves
  - › 145 / 85 litre capacity



- Ri7308**
- › 70/30 Frost-free Fridge Freezer
  - › 1770mm height
  - › **E energy**
  - › Electronic controls
  - › Caple Fresh technology
  - › Deluxe steel trimmed interior
  - › Glass shelves
  - › 180 / 63 litre capacity



- RiL1796**
- › Larder Fridge
  - › 1770mm height
  - › **E energy**
  - › Deluxe steel trimmed interior
  - › Caple Fresh technology
  - › Top and side LED strip lights
  - › Glass shelves
  - › 294 litre capacity



- RiF1797**
- › Frost-free Freezer
  - › 1770mm height
  - › **E energy**
  - › Top LED strip light
  - › Ice cube maker
  - › Electronic controls
  - › 197 litre capacity



- Ri7321**
- › 70/30 Frost-free Fridge Freezer
  - › 1770mm height
  - › **E energy**
  - › Touch controls
  - › Caple Fresh technology
  - › Deluxe steel trimmed interior
  - › Glass shelves
  - › 180 / 63 litre capacity



- Ri5520**
- › 50/50 Frost-free Fridge Freezer
  - › 1770mm height
  - › **E energy**
  - › Touch controls
  - › Caple Fresh technology
  - › Deluxe steel trimmed interior
  - › Glass shelves
  - › 145 / 85 litre capacity



- RiL1800**
- › Larder Fridge
  - › 1770mm height
  - › **E energy**
  - › Door on door installation
  - › Touch controls
  - › Caple Fresh technology
  - › Top and side LED strip lights
  - › Deluxe steel trimmed interior
  - › 294 litre capacity



- RiF1801**
- › Frost-free Freezer
  - › 1770mm height
  - › **E energy**
  - › Door on door installation
  - › Touch controls
  - › Ice cube maker
  - › Deluxe steel trimmed interior
  - › 197 litre capacity



FREESTANDING REFRIGERATION



- CAFF43**
- › French Door Fridge Freezer
  - › 910mm width
  - › Stainless Steel
  - › Frost-free
  - › **E energy**
  - › 398 / 211L capacity
  - › 2 Freezer drawers

UNDERCOUNTER WINE CABINETS



- Wi159**
- › Undercounter Wine Cabinet
  - › 145mm width
  - › **G energy**
  - › 1 piece Stainless Steel door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Electronic temperature control
  - › White LED lighting



- Wi158BG**
- › Undercounter Wine Cabinet
  - › 145mm width
  - › **G energy**
  - › Black Glass door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Electronic temperature control
  - › White LED lighting



- Wi3125**
- › Undercounter Wine Cabinet
  - › 295mm width
  - › **F energy**
  - › 1 piece Stainless Steel door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi3125GM**
- › Undercounter Wine Cabinet
  - › 295mm width
  - › **F energy**
  - › 1 piece Gunmetal door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi3126BG**
- › Undercounter Wine Cabinet
  - › 295mm width
  - › **F energy**
  - › Black Glass door
  - › Black square handle
  - › 1 zone 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi6142**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › **G energy**
  - › 1 piece Stainless Steel door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi6143BG**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › **G energy**
  - › Black Glass door
  - › Black square handle
  - › 1 zone 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi6135**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › **G energy**
  - › 1 piece Stainless Steel door, square handle
  - › 2 zones 5°C - 10°C and 10°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi6136BG**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › **G energy**
  - › Black Glass door
  - › Black square handle
  - › 2 zones 5°C - 10°C and 10°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height



- Wi6135GM**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › Gunmetal door
  - › 2 zones 5°C - 10°C and 10°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height to fit 100-150mm plinth
  - › Recessed plinth



- Wi6234**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › **G energy**
  - › Stainless Steel doors
  - › Square handles
  - › 2 side-by-side zones 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height
  - › Glass shelf kit available GSHELFPACK/300 - shown



- Wi6235BG**
- › Undercounter Wine Cabinet
  - › 595mm width
  - › **G energy**
  - › Black Glass doors
  - › Black square handles
  - › 2 side-by-side zones 5°C - 18°C
  - › Touch control, White LED lighting
  - › Adjustable height
  - › Glass shelf kit available GSHELFPACK/300 - shown



SENSE PREMIUM WINE CABINETS



- Wi3150**
- › **Sense Premium** Undercounter Single Zone Wine Cabinet
  - › 295mm width
  - › **F energy**
  - › Stainless Steel door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Touch control
  - › White LED lighting
  - › Telescopic shelves
  - › 4 programmes
  - › 4 light functions
  - › Charcoal filter
  - › Adjustable height



- Wi6150**
- › **Sense Premium** Undercounter Dual Zone Wine Cabinet
  - › 595mm width
  - › **F energy**
  - › Stainless Steel door
  - › Square handle
  - › 2 zones 5°C - 10°C and 10° - 18°C
  - › Touch control
  - › White LED lighting
  - › Telescopic shelves
  - › 4 programmes
  - › 4 light functions
  - › Charcoal filter
  - › Adjustable height

IN-COLUMN WINE CABINETS



- WC6401**
- › In-column Wine Cabinet
  - › 455mm height
  - › **F energy**
  - › Stainless Steel door
  - › Stainless Steel square handle
  - › Single zone 5°C - 18°C
  - › Touch control
  - › White LED lighting



- WC6411BG**
- › In-column Wine Cabinet
  - › 455mm height
  - › **F energy**
  - › Black Glass door
  - › Black square handle
  - › Single zone 5°C - 18°C
  - › Touch control
  - › White LED lighting



- WC6511**
- › In-column Wine Cabinet
  - › 886mm height
  - › **G energy**
  - › Stainless Steel door
  - › Square handle
  - › 2 zones 5°C - 10°C and 10°C - 18°C
  - › Touch control
  - › White LED lighting



- WC6521BG**
- › In-column Wine Cabinet
  - › 886mm height
  - › **G energy**
  - › Black Glass door
  - › Black square handle
  - › 2 zones 5°C - 10°C and 10°C - 18°C
  - › Touch control
  - › White LED lighting



- WC6100SS**
- › In-column Wine Cabinet
  - › 600mm height
  - › **G energy**
  - › Stainless Steel door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Electronic temperature control
  - › White LED lighting
  - › Soft open and close



- WC6100BG**
- › In-column Wine Cabinet
  - › 600mm height
  - › **G energy**
  - › Black Glass door
  - › Black square handle
  - › 1 zone 5°C - 18°C
  - › Electronic temperature control
  - › White LED lighting
  - › Soft open and close



- WC6100GM**
- › In-column Wine Cabinet
  - › 600mm height
  - › **G energy**
  - › Gunmetal door
  - › Square handle
  - › 1 zone 5°C - 18°C
  - › Electronic temperature control
  - › White LED lighting
  - › Soft open and close



- WC6100BS**
- › In-column Wine Cabinet
  - › 600mm height
  - › **G energy**
  - › Black Steel door
  - › Black square handle
  - › 1 zone 5°C - 18°C
  - › Electronic temperature control
  - › White LED lighting
  - › Soft open and close

DISHWASHERS



- Di482**
- › 45cm Dishwasher
  - › 5 Programmes
  - › Auto door open
  - › **Energy D, Noise C**
  - › 9 place settings
  - › 49 dB[A]
  - › Water consumption per cycle [economy] 9 litres
  - › Cutlery basket



- Di632**
- › 60cm Dishwasher
  - › 6 Programmes
  - › Auto door open
  - › **Energy D, Noise C**
  - › 12 place settings
  - › 49 dB[A]
  - › Water consumption per cycle [economy] 11 litres
  - › Cutlery basket



- Di642**
- › 60cm Dishwasher
  - › Auto door open
  - › 7 Programmes
  - › **Energy D, Noise C**
  - › 14 place settings
  - › 47 dB[A]
  - › Water consumption per cycle [economy] 11 litres
  - › Cutlery tray



- Di654**
- › 60cm Dishwasher
  - › Sliding furniture door system
  - › 360 degree spinning arm
  - › 8 Programmes
  - › **Energy B, Noise B**
  - › Auto door open
  - › Touch control
  - › 14 place settings
  - › 42 dB[A]
  - › Water consumption per cycle [economy] 9.8 litres
  - › Cutlery tray

LAUNDRY



- WMF1100**
- › Freestanding Washing machine
  - › 1400rpm
  - › 10kg wash
  - › 15 programmes
  - › **Energy A, Spin B, Noise B**



- TDF1100**
- › Freestanding Heat Pump Tumble Dryer
  - › Sensor dry
  - › 10kg
  - › 15 programmes
  - › **Energy A++**



- WMi3100**
- › Integrated Washing Machine
  - › 1400rpm
  - › 8kg
  - › 15 programmes
  - › **Energy A, Spin B, Noise B**
  - › Touch control LED display
  - › Anti-overflow protection



- WMi4001**
- › Integrated Washing Machine
  - › 1400rpm
  - › 9kg
  - › 15 programmes
  - › **Energy A, Spin B, Noise B**
  - › Anti-overflow protection



- WDi3310**
- › Integrated Washer Dryer
  - › 1400rpm
  - › 8kg wash, 5kg dry
  - › 15 programmes
  - › **Wash A, Wash and Dry E, Spin B, Noise B**
  - › Touch control LED display



- TDi4001**
- › Integrated Heat Pump Tumble Dryer
  - › Sensor dry
  - › 7kg
  - › 15 programmes
  - › **Energy A+**
  - › In-door water tank



STACK SMART, SAVE SPACE



Maximise laundry space with the stacking kit, designed to securely position the freestanding dryer on top of the washing machine. The built-in sliding shelf with an anti-tipping system holds up to 15kg - perfect for loading, unloading, or folding fresh laundry. With a drawer depth of 330mm, it's a small addition that makes a big difference.



STACKKIT

- › For freestanding laundry appliances only





## SLIM INSTALL SINGLE OVEN



54 Litre Capacity  
Slim Depth 520  
4 functions  
Red LED display

STAINLESS STEEL  
CUL57MMSS

BLACK  
CUL57MMBK

## XXL SINGLE OVEN



78 Litre Capacity  
9 functions  
Rotary controls  
Red LED display  
13amp connection

STAINLESS STEEL  
UBO753SS

BLACK  
UBO753BK

## DOUBLE OVEN



114 Litre capacity  
overall  
Red LED display  
Rotary controls

STAINLESS STEEL  
UBDO901SS

BLACK  
UBDO901BK

## FLEX INDUCTION HOBS WITH DOWNDRAFT

## ICONFLEXDD



77cm Flex Induction hob with downdraft  
9 Power Levels, 4 boost zones  
6 Fan speeds, 579 m³/hr extraction  
Fan motor pack included  
Vented: **Kitvent2**  
Recirculation **ICONFKIT**  
32 amp connection


## ICONFLEXDDS



77cm Flex Induction hob with downdraft  
9 Power Levels, 4 boost zones  
6 Fan speeds, 579 m³/hr extraction  
Fan motor pack included  
Vented: **Kitvent2**  
Recirculation **ICONFKIT**  
32 amp connection

## FLEX INDUCTION HOBS

## ICONFLEX60F



60cm Flex Induction hob  
9 Power Levels  
4 cooking zones (2x flex)  
4 Boost zones  
32amp connection

## ICONFLEX90F



90cm Flex Induction hob  
9 Power Levels  
5 cooking zones (2x flex)  
5 Boost zones  
40amp connection

## INDUCTION HOBS

## UBINDE60MT



60cm Induction Hob  
9 Power levels, 4 Cooking Zones  
2 Boost zone  
32amp connection

## UBIND77F



77cm Induction Hob  
9 Power levels, 4 Cooking Zones  
4 Boost zones  
32amp connection

## UBIND90F



90cm Induction Hob  
9 Power levels, 4 Cooking Zones  
4 Boost zones  
32amp connection



## GAS HOBS

## UBGOG601BK



60cm Gas on Glass Hob  
4 Cooking zones  
Cast iron pan stands

## UBGHDFJ70



70cm Stainless Steel Hob  
5 Cooking zones  
Cast iron pan stands

## UBGOG701BK



70cm Stainless Steel Hob  
5 Cooking zones  
Cast iron pan stands

## UBGOG901BK



90cm Gas on Glass Hob  
5 Cooking zones  
Cast iron pan stands

## BUILT IN MICROWAVE




20 Litre Capacity  
700W Microwave  
800W Grill  
595W x 313D x 390H (mm)

STAINLESS STEEL  
UBMICL20SS

BLACK  
UBMICL20BK

## BUILT IN COMBI MICROWAVE



31 Litre Capacity  
5 Power levels  
900W Microwave  
1200 Grill  
595W x 313D x 390H (mm)

BLACK  
UB45CM31BK

## BOX CHIMNEY HOOD



Touch Control, 3 fan speeds  
Available in 60cm or 90cm

60cm 482 m³/h max airflow  
90cm 482 m³/h max airflow  
Carbon Filter **SCF2**

BLACK  
UBSBOX60BK  
UBSBOX90BK

A++

## BOX CHIMNEY HOOD



Touch Control, 3 fan speeds  
Available in 60cm or 90cm

60cm 565 m³/h max airflow  
90cm 564 m³/h max airflow  
Carbon Filter **TMFILT**

STAINLESS STEEL  
UBSBOX60SS  
UBSBOX90SS

A++

## BLACK CANOPY HOOD



Touch Control, BLDC Motor  
Black available in 52cm & 70cm

52cm 460 m³/h max airflow  
70cm 572 m³/h max airflow  
Carbon Filter **SCF1**

UBSCAN52BK  
UBSCAN70BK

B

## SILVER CANOPY HOOD



Touch Control, BLDC Motor  
Black available in 52cm & 70cm

52cm 316 m³/h max airflow  
70cm 324 m³/h max airflow  
Carbon Filter **ATFILT1**

UBCAN52SV  
UBCAN70SV


B

## CHIMNEY HOODS



B

## ANGLED GLASS RUNWAY HOOD



B

Touch control, 3 Fan speeds  
Black with runway white LED  
Available in 60cm, 70cm, 90cm  
All 400 m³/h max airflow  
Filter code: **CARBFLT4**

UBARUNW6  
UBARUNW7  
UBARUNW9

70cm in Black or Stainless Steel  
Three fan speeds  
Push button control  
Carbon filter **SCF2**

STAINLESS STEEL  
UBSCH70SS

BLACK  
UBSCH70BK

## ICON HOODS



A+

Hidden touch Control  
9 Fan speeds  
Black angled hood Available in 60cm, 70cm, 90cm  
60cm 70cm 90cm all with 523 m³/h max airflow  
Filter code: **CARBFLT4**

ICONH60  
ICONH80  
ICONH90

CHOICE OF 5" VENTING KITS AVAILABLE - 1 METRE, CODE 15UVK & 3 METRE, CODE 35UVK

The Bosch oven range



SERIES 4

Modern design with **RED** LED digital display, retractable rotary controls and easy to use functionality. Time functions made easier with a programmable timer & 3D Hot air technology to produce even temperatures across all three levels to create the perfect and consistent baking or roasting results. Supported with Eco clean for a less effort cleaning for light soiling.



MULTIFUNCTION

Built in oven with hot air steam for delicious baking results  
71 Litre capacity  
7 cooking methods  
Fast Preheating Function  
Automatic Start



2.99kw Electrical connection required

HQA534BB3B BLACK    HQA534BS3B STEEL



PYROLYTIC

Built in oven with self-cleaning function and hot air steam  
71 Litre capacity  
5 cooking methods  
Fast preheating function  
Automatic Start



2.99kw Electrical connection required

HQA574BB3B BLACK    HQA574BS3B STEEL



COMPACT MICROWAVE

44 Litre capacity  
15 functions  
600w, 4 power levels

3.5kw Electrical connection required

CMA583MB0B BLACK    CMA583MS0B STEEL

SERIES 8

Introducing a new and innovative **digital control ring** with **colour TFT** interface and White LCD display controls. Cook like a Bosch with professional cooking assistant to help choose the correct heat settings by simply selecting the dish you are cooking. Series 8 ovens also come with an Air fry function to create the perfect Crispy potatoes. You can also take control of your oven from anywhere using the Home connect App, you can even voice control with Amazon or Alexa Assist.



MULTIFUNCTION

Built in oven with digital control ring & TFT touch display  
71 Litre capacity  
14 cooking methods  
Fast preheating function  
Soft close, drop-down door  
Bosch Assist  
Oven assistant with Voice control



3.60kw Electrical connection required

HBG7341B1B BLACK



PYROLYTIC

Built in oven with digital control ring & TFT touch display  
71 Litre capacity  
14 cooking methods  
Fast preheating function  
Soft close, drop-down door  
Bosch Assist  
Oven assistant with Voice control



3.60kw Electrical connection required

HBG7741B1B BLACK



PYROLYTIC

Built in oven with digital control ring & TFT touch display  
71 Litre capacity  
14 cooking methods  
Baking & Roasting sensors with tir predictions  
Soft close, drop-down door  
Bosch Assist  
Oven Assistant with Voice control



3.60kw Electrical connection required

HBG7764B1B BLACK



MULTIFUNCTION

Built in double oven with 3D hot air  
Main Oven;  
71 Litre Capacity  
5 cooking methods  
Fast preheating function

Top Oven;  
34 Litre Capacity  
3 cooking methods  
Large and small area grill

5.99kw Electrical connection required

MBA533BB3B BLACK    MBA533BS3B STEEL



MULTIFUNCTION

Built under double oven with 3D hot air  
Main Oven;  
47 Litre Capacity  
5 cooking methods  
Fast preheating function

Top Oven;  
34 Litre Capacity  
3 cooking methods  
Large and small area grill

5.99kw Electrical connection required

NBS533BB0B BLACK    NBS533BS0B STEEL



WALL UNIT MICROWAVE

20 Litre capacity  
7 automatic programmes  
800w - 5 power levels  
382H x 594W x 317D  
600mm wall unit

BFL523MB0B BLACK    BFL523MS0B STEEL



BUILT IN MICROWAVE

25 Litre capacity  
7 automatic programmes  
900w - 5 power levels  
382H x 594W x 388D  
600mm tall housing

BFL553MB0B BLACK    BFL553MS0B STEEL

WARMING DRAWER

Maximum load - 14 plates, Push pull mechanism  
Low cooking function  
140H x 594W x 548D



BIC510NS0B STEEL

PROMOTIONAL FAN OVEN



Available in  
BLACK - HHF113BA0B  
STEEL - HHF113BR0B

Built in oven with 3D hot air  
66 Litre capacity  
4 cooking methods  
Child safety lock  
13amp Plug included



BUILT IN MICROWAVE

21 Litre Capacity  
Quick Start maximum power 30 seconds  
Cleaning Assistance



2.99kw Electrical connection required

BFL7221B1B BLACK



BIC7101B1B BLACK



BUILT IN MICROWAVE

36 Litre Capacity  
1000W, 5 power levels  
Boost Function  
Cleaning Assistance



2.99kw Electrical connection required

CEG732XB1B BLACK



PYROLYTIC MICROWAVE

45 Litre capacity  
16 functions  
900w, 5 power levels



2.99kw Electrical connection required

CMG7241B1B BLACK

WARMING DRAWER

Maximum load - 14 plates  
Push pull mechanism  
Low cooking function  
140H x 594W x 548D



**GAS HOB**



**Stainless steel gas hob with side-mounted controls**

Cast-iron finish pan supports  
Front high speed burner  
Connected load: 7.4kw

**PBP6B5K60**  
60cm

**GAS HOB**



**Stainless steel gas hob with front-mounted controls**

Cast-iron finish pan supports  
Powerful cooking at up to 3.3kw  
Connected load: 10.8kw

**PGQ7B5K90**  
75cm

**CERAMIC HOB**



**Glass-ceramic radiant hob with side-mounted controls**

Control panel child lock  
Connected load: 6.4kw

**PKE611CA3E**  
60cm

**INDUCTION HOB**




**Induction hob with plug and play**

Quick start function detects where the pot is placed  
Connected load: 3.7kw  
13amp Plug included

**PUE611BB5B**  
60cm

**DELUXE GAS HOB**



**Stainless-steel gas hob with FlameSelect**

Cast-iron finish pan supports  
Front high speed burner  
Connected load: 7.4kw

**PCP6A6190**  
BLACK - 60cm

**PCP6A5190**  
STEEL - 60cm

**GAS HOB**




**Stainless steel gas hob with FlameSelect**

Cast-iron finish pan supports  
Central wok burner up to 4.0kw  
Connected load: 11.5kw

**PCQ7A5190**  
75cm

**TOUCH CONTROL HOB**



**Glass-ceramic radiant hob with front touch controls**

Control panel child lock  
Connected load: 6.4kw

**PKE61RAA8B**  
60cm

**INDUCTION HOB**



**Induction hob with Self select**

Quick start function detects where the pot is placed  
Connected load: 3.7kw

**PUE611BB5E**  
60cm

**GAS ON GLASS**



**Tempered-glass gas hob with FlameSelect**

Semi-continuous cast-iron pan support  
9 power levels  
Connected load: 7.5kw

**PPP6A6I40**  
60cm

**GAS ON GLASS**



**Tempered-glass gas hob with FlameSelect**

Semi-continuous cast-iron pan support  
Central wok cooking at up to 4kw  
Connected load: 11.5kw

**PPQ7A6I40**  
75cm

**FLEX INDUCTION HOB**



**Flex Induction hob allows multiple pots and pans, anywhere on the flexible cooking zone**

Auto Flex induction, Perfect Fry  
Smart Hood connectivity, 17 power levels  
4 cooking zones  
Connected load: 7.4kw

**PIX631HC1E**  
60cm

**INDUCTION HOB**



**Induction hob with Direct select**

Quick start function detects where the pot is placed  
Timer with switch off function  
Connected load: 7.4 kw

**PIV831HB1E**  
80cm



**60cm VENTING COOKTOP**



**60cm induction hob with integrated ventilation module**

17 stage power setting for each zone  
Timer for all zones  
Frameless design  
Extraction capacity 500 m3/h  
Connection load: 7.40kw  
Hard wired

**PVS611B16E**

**70cm VENTING COOKTOP**



**70cm induction hob with integrated ventilation module**

17 stage power setting for each zone  
Timer for all zones  
Frameless design  
Extraction capacity 500 m3/h  
Connection load: 7.40kw  
Hard wired

**PVQ731H26E**

**80cm VENTING COOKTOP**



**80cm induction hob with integrated ventilation module**

17 stage power setting for each zone  
Timer for all zones  
Frameless design  
Extraction capacity 500 m3/h  
Connection load: 7.40kw  
Hard wired

**PVS811B16E**

**Recirculation Starter Kits**

60cm worktops **HEZ9VDKR1**

Includes: 1x small radius 90° bend (HEZ9VDSB4), 1x large radius 90° bend (HEZ9VDSB2), 3x connectors (HEZ9VDSS1), 1x 50 cm straight channel (HEZ9VDSM1) & 1x diffuser (HEZ9VRPD1).

70cm worktops **HEZ9VDKRO**

Includes: 2x large radius 90° bends (HEZ9VDSB2), 3x connectors (HEZ9VDSS1), 1x 50 cm straight channel (HEZ9VDSM1) & 1x diffuser (HEZ9VRPD1).

**CHIMNEY HOOD**



Stainless Steel hood  
3 speed extraction  
Push button control  
2 x LED lights  
Extraction capacity 360m3/h  
Recirculation DHZ5275

**DWP64BC50B**  
60cm

**DWP94BC50B**  
90cm

**TELESCOPIC**



60cm telescopic hood  
2 speed extraction  
Silver metallic  
Steel fascia panel  
Grease filter included  
DWZ1IT1I4 charcoal filter

**DFM063W56B**  
BRUSHED STEEL

**ANGLED HOOD**



Inclined hood with Eco Silence  
3 speed extraction  
Power boost  
TouchSelect controls  
LED lights  
445m3/h max extraction  
Recirculation DWZ1GK1U2

**DWK65DK60B**  
60cm

**DWK85DK60B**  
80cm

**INTEGRATED HOOD**



Integrated extraction  
3 speed extraction  
LED lighting  
Grease filter included  
Z51IMA0X0 charcoal filter

**DEM63AC00B**  
METALLIC SILVER

**FLAT GLASS HOOD**



Stainless steel with straight glass design  
3 speed extraction  
Push button control  
2 x LED lights  
Extraction capacity 365 m3/h  
Recirculation DWZ1DX1I4

**DWG64BC50B**  
60cm

**DWG94BC50B**  
90cm

**CANOPY HOOD**



Canopy extraction  
3 speed extraction  
LED lighting  
Grease filter included  
DWZ0INOTO charcoal Filter

**DLN53AA70B**  
SILVER GREY



T&Cs apply.  
Registration required.  
Selected models only.



## LARDER FRIDGE

**Built-under refrigerator with MultiBox**

Total volume 137 Litre  
Automatic defrost fridge  
Flat Hinge  
E Rating



**KUR21VFE0G**



## FREEZER

**Built-under freezer with super freezing**

Total volume 106 Litre  
Audible alarm signal  
Flat Hinge  
E Rating



**GUN21VFE0G**



## FRIDGE

**Built in refrigerator with XXL MultiBox drawer**

Total volume 136 Litre  
Super cooling function  
Flat Hinge  
E Rating



**KIR21NSE0G**



## FRIDGE

**Built in 122cm refrigerator with XXL MultiBox drawer**

Total volume 204 Litre  
Eco Airflow  
Sliding Hinge  
E Rating



**KIR41NSE0G**

## FRIDGE

**Tall Built-in refrigerator with MultiBox**

Total volume 319 Litre  
Super cooling fuction  
Flat hinge  
E Rating



**KIR81VFE0G**

## FREEZER

**Tall Built-in Freezer with MultiBox**

Total volume 212 Litre  
Auto SuperFreezing function  
Flat hinge  
E Rating



**GIN81VEE0G**

## FRIDGE FREEZER

**Built-in fridge-freezer with NoFrost**

50 / 50 combination  
Total volume 249 Litre  
Audible alarm system  
Sliding Hinge  
E Rating



**KIN85NSE0G**

## FRIDGE FREEZER

**Built-in fridge-freezer with LowFrost**

70 / 30 combination  
Total volume 270 Litre  
Big box drawer  
Sliding Hinge  
E Rating



**KIV87NSE0G**



**REFRIGERATION VENTILATION GRILL, MATT SILVER - CODE 01VGMS**

## SMV2HTX02G PROMOTIONAL DISHWASHER



**60cm fully integrated dishwasher with silence on demand through home connect app**

13 place settings  
5 programmes  
Extra drying function  
D Rating



Operation via app or  
Alexa voice control



## SLIMLINE DISHWASHER



**45cm fully Intergrated dishwasher with silence on demand through home connect app**

Height adjustable top basket  
10 place settings  
5 programmes  
Info light  
Extra drying function  
E Rating

**SPV2HKX42G**


## PREMIUM DISHWASHER



**60cm fully integrated dishwasher with silence on demand through home connect app**

VarioDrawer on third level for cutlery  
14 place settings  
6 programmes  
Info light  
Extra drying function  
D Rating

**SMV4HVX00G**



### Home Connect Easy Start

Select the type of dishes and let the appliance take care of everything else.

Easy Start in three steps to choose the perfect wash.  
Receive tablet, rinse aid and salt level notifications via the app, so you never run out.  
Keep your dishwasher in top condition - Receive automatic tablet and cleaning bundles via **smart finish** subscription.  
Easily set your hard water settings to prolong the life of your dishwasher.

## 8KG WASHING MACHINE



**8kg Washing machine with EcoSilence Drive**

1400 rpm spin speed  
Allergy plus function  
Adjustable feet

**WIW28302GB**

E Rating

## PREMIUM 8KG WASHING MACHINE



**Especially quiet 8kg washing machine with EcoSilence Drive and Silence program**

1400 rpm spin speed  
Allergy plus function  
Vario drum, Adjustable feet  
Series 8 LED display with touch control

**WIW28502GB**

E Rating

## 7KG WASHER DRYER



**Intergrated washer dryer**

Wash 7kg  
Dry 4kg  
1355 rpm spin speed  
AquaSpa wash system

**WKD28352GB**

E Rating



FASCIA DISPLAY TYPES

N70 Full Touch 1

Full Touch Screen display; 3.7" high resolution TFT colour graphics display.



N90 Full Touch 2

Full Touch Screen display; 4.1" high resolution TFT colour graphics display.




N90 Full Touch 3

Full Touch Screen display; 6.8" high resolution TFT colour graphics display.



WARMING DRAWERS

COMPATIBLE WITH N70 & N90 APPLIANCES



14cm warming drawer  
Slow cook programme  
Maximum load - 12 plates  
Push & pull opening  
6A/Plug included

**N24HA11N1B**  
**STEEL**

**N24HA11G1B**  
**GRAPHITE**



29cm warming drawer  
Slow cook programme  
Maximum load - 40 plates  
Push & pull opening  
6A/Plug included

**N34HA11N1B**  
**STEEL**

**N34HA11G1B**  
**GRAPHITE**



N70 Full Touch 1 Collection

MULTIFUNCTION



A+ ENERGY

Built in oven with  
CircoTherm™  
71 Litre capacity  
14 Heating methods  
3.7 inch full touch TFT  
Display  
3.6kw Electrical connection  
required



**B24CR31G0B**  
**GRAPHITE**

SLIDE & HIDE MULTIFUNCTION



A+ ENERGY

Built in slide & hide oven  
with CircoTherm™  
71 Litre capacity  
14 Heating methods  
3.7 inch full touch TFT  
Display  
3.6kw Electrical connection  
required



**B54CR31N0B**  
**STEEL**

**B54CR31G0B**  
**GRAPHITE**

SLIDE & HIDE PYROLYTIC



A+ ENERGY

Built in slide and hide  
self cleaning oven with  
CircoTherm™  
71 Litre capacity  
14 Heating methods  
3.7 inch full touch TFT  
Display  
3.6kw Electrical connection  
required



**B54CR71N0B**  
**STEEL**

**B54CR71G0B**  
**GRAPHITE**

N90 Full Touch 2 & 3 Collection

SLIDE & HIDE MULTIFUNCTION



A+ ENERGY

Built in slide & hide oven  
with CircoTherm™  
71 Litre capacity  
14 Heating methods  
4.1 inch full touch TFT Display  
3.6kw Electrical connection  
required



**B64CS51G0B**  
**GRAPHITE**

SLIDE & HIDE PYROLYTIC



A+ ENERGY

Built in slide and hide  
self cleaning oven with  
CircoTherm™  
71 Litre capacity  
14 Heating methods  
4.1 inch full touch TFT Display  
3.6kw Electrical connection  
required



**B64CS71G0B**  
**GRAPHITE**

COMBINATION MICROWAVE



Built in combination  
microwave with  
CircoTherm™

45 Litre capacity  
900w - 5 power levels  
4.1 inch full touch TFT  
Display  
3.6kw Electrical connection  
required



**C24MS31G0B**  
**GRAPHITE**

COMBINATION MICROWAVE



Built in combination  
microwave  
45 Litre capacity  
16 Heating methods  
3.7 inch full touch TFT  
Display  
3.6kw Electrical  
connection required



**C24MR21N0B**  
**STEEL**

**C24MR21G0B**  
**GRAPHITE**

MICROWAVE & GRILL



Built in microwave & grill  
36 Litre capacity  
1000w - 5 power levels  
3.7 inch full touch TFT  
Display  
3.1kw Electrical  
connection required



**C24GR3XG1B**  
**GRAPHITE**

SEAMLESS STRIPS

For 60cm single oven with 45cm oven  
(Special aperture applies)  
**Z11SZ90G0 - GRAPHITE**  
**Z11SZ90X0 - STEEL**

For 45cm compact oven with 14cm  
Warming Drawer  
**Z11SZ60G0 - GRAPHITE**  
**Z11SZ60X0 - STEEL**

For 60cm single oven with 29cm  
Warming Drawer  
**Z11SZ80G0 - GRAPHITE**  
**Z11SZ80X1 - STEEL**

For use between 60cm single and  
45cm compact ovens  
**Z13CV06S0 -**



SLIDE & HIDE PYROLYTIC



A+ ENERGY

Built in slide and hide  
self cleaning oven with  
CircoTherm™  
71 Litre capacity  
14 Heating methods  
6.8 inch full touch TFT  
Display  
Multipoint temperature  
probe  
3.6kw Electrical connection  
required



**B64CT73G0B**  
**GRAPHITE**

SLIDE & HIDE PYROLYTIC - STEAM



A+ ENERGY

Built in slide and hide  
self cleaning oven with  
**VarioSteam**  
71 Litre capacity  
20 Heating methods  
6.8 inch full touch TFT  
Display  
Multipoint temperature  
probe  
3.6kw Electrical connection  
required



**B64VT73G0B**  
**GRAPHITE**


PYROLYTIC COMBINATION  
MICROWAVE



Built in self cleaning  
combination microwave  
with CircoTherm™  
45 Litre capacity  
900w - 5 power levels  
6.8 inch full touch TFT  
Display  
3.6kw Electrical connection  
required



**C24MT73G0B**  
**GRAPHITE**




MULTIFUNCTION

A ENERGY

Built in oven with CircoTherm™  
71 Litre capacity  
6 cooking methods  
Cooling fan  
2.99kw Electrical connection required

B1ACE4AG3B/N50 STEEL




PYROLYTIC

A ENERGY

Built in oven with CircoTherm™  
71 Litre capacity  
8 cooking methods  
Rapid heat, Cooling fan  
2.99kw Electrical connection required

B2ACH7AG7B/N50 STEEL




SLIDE & HIDE  
MULTIFUNCTION

A ENERGY

Built in oven CircoTherm™  
71 Litre Capacity  
7 Heating methods  
Retractable controls

B3ACE4AN3B/N50 STEEL




SLIDE & HIDE  
PYROLYTIC

A ENERGY

Built in oven with Circo Therm  
71 Litre capacity  
8 Cooking methods  
2.99kw Electrical connection required


B6ACH7AN7B/N50 STEEL



60cm VENTING COOKTOP

60cm induction hob with touch controls  
1 Combi Zones  
High Extraction rate  
Boost function 622 m3/h  
Twist control, Timer  
Connected load 7.4kw


V56NBS1L0



70cm VENTING COOKTOP

70cm induction hob with touch controls  
2 Combi Zones  
High Extraction rate  
Boost function 622 m3/h  
Twist control, Timer  
Connected load 7.4kw


V57THQ4L0



80cm VENTING COOKTOP

80cm induction hob with touch controls  
2 Combi Zones  
High Extraction rate  
Boost function 622 m3/h  
Twist control, Timer  
Connected load 7.4kw


V58NHQ4L0



RECIRCULATION STARTER KITS

60cm worktops Z861KR1  
Includes: 1x small radius 90° bend (Z861SB4),  
1x large radius 90° bend (Z861SB2),  
3x connectors (Z861SS1), 1x 50 cm straight  
channel (Z861SM1), and 1x diffuser (Z821PD1).

70cm worktops Z861KR0  
Includes: 2x large radius 90° bends (Z861SB2),  
3x connectors (Z861SS1), 1x 50 cm straight  
channel (Z861SM1), and 1x diffuser (Z821PD1).




BUILT IN  
DOUBLE OVEN

B/A ENERGY

LCD Display  
Main oven:  
71 Litre Capacity, 5 Heating methods  
Top Oven :  
34 Litre capacity, 4 Heating methods  
Large and small area grill  
Retractable controls  
5.99kw Electrical connection required

U1ACE2AN3B/N50 STEEL




BUILT IN  
DOUBLE OVEN

B/A ENERGY

LCD Display  
Main oven:  
71 Litre Capacity, 5 Heating methods  
Top Oven :  
34 Litre capacity, 4 Heating methods  
Large and small area grill  
Retractable controls  
5.99kw Electrical connection required

U1ACE5HN0B/N50 STEEL



BUILT UNDER  
DOUBLE OVEN


B/A ENERGY

LCD Display  
Main oven:  
47 Litre Capacity, 5 Heating methods  
Top Oven :  
34 Litre capacity, 4 Heating methods  
Large and small area grill  
Retractable controls  
5.30kw Electrical connection required

J1ACE2HN0B/N50 STEEL

Circo Therm® – Hot air system for simultaneous cooking Circo Therm® hot air technology focusses heat directly on the food being cooked, so surfaces of bakes and roasts are sealed quickly. This seals in moisture makes meats juicier and cakes delicious and moist.


Slide & Hide® – The only oven with a disappearing door. Slide & Hide® is the first choice for individualists, who want to enjoy their passion for cooking without limitations. The iconic Slide & Hide® door effortlessly slides away beneath the oven when not in use.



60cm CERAMIC TOUCH  
CONTROL HOB

4 QuickLight ceramic zones  
Heat indicator light, Timer facility  
Connected load: 6.6kw  
Electrical connection required


T16NBE1L



60cm INDUCTION TOUCH  
CONTROL HOB

4 induction zones  
Heat indicator light  
Timer facility  
13amp Plug included


T36FBE1L0G



60cm INDUCTION TWIST  
TOUCH CONTROL HOB

4 Induction zones and combi zone  
Heat indicator light, Timer facility  
Connected load: 6.9 KW  
Electrical connection required


T56FHS1L0



80cm TWIST TOUCH CONTROL  
INDUCTION HOB

5 Induction zones  
Heat indicator light  
Timer facility  
Connected load: 7.4 KW  
Electrical connection required


T58FHW1L0



BUILT IN MICROWAVE

25 Litre capacity  
Automatic programmes  
13amp Plug included  
H382 W594 D550  
600mm tall housing


HLAWD53N0B/N50 STEEL



COMBINATION MICROWAVE

44 Litre capacity  
900w 5 power levels  
3.35kw Electrical connection required


C1AMG84N1B/N50 STEEL




WALL UNIT MICROWAVE

Built in microwave  
20 Litre capacity  
13amp Plug included  
H382 W594 D320 includes fascia 20mm  
600mm wall unit

HLAWD23N0B/N50 STEEL




N1AHA01N0B/N50 STEEL



N1AHA01G0B/N50 GRAPHITE


14cm warming drawer  
20 Litre Capacity  
Push & pull opening  
Plug included



INTTEGRATED HOOD

D61MAC1X0B  
3 speed options  
2 LED lights  
Push button control  
Grease filter  
Extraction capacity  
280m3/h  
Recirculating filter  
Z51MA0X0  
Silver Metallic


D ENERGY



CANOPY HOOD

D51NAA1C0B  
3 speed options  
2 60w LED lamps  
Slide control  
Metal grease filter  
Silver metallic grey  
Extraction capacity  
300m3/h  
Z51INT0X0 Charcoal Filter

E ENERGY



INTTEGRATED HOOD

D64MAC1X0B  
3 speed extraction  
2 LED lights  
Push button control  
Grease filter  
Extraction capacity  
350m3/h  
Recirculating filter  
Z51MA0X0  
Silver Metallic

B ENERGY

58

59





T&Cs apply.  
Registration required.  
Selected models only.

2 year  
guarantee  
subject to registration



**LARDER FRIDGE**



Undercounter refrigerator keeps fruit and vegetables to their freshest with fresh safe

Total volume 137 litre  
Automatic defrost  
Flat Hinge  
E rating



KU1212FE0G

**FREEZER**



Undercounter NoFrost freezer with SuperFreeze

Total volume 106 litre  
Manual defrost  
Flat Hinge  
E rating



GU7212FE0G

**FRIDGE WITH ICE BOX**



Built in no frost fridge freezer with eco air flow

50/50 combination  
Total volume 259 litre  
Sliding Hinge  
D rating



KU2222FD0G

**SLIMLINE DISHWASHER**



Fully Intergrated 45cm dishwasher with Vario hinge for special built in situations

Flex II basket with adaptable elements  
6 programmes  
10 place settings  
Extra drying functions  
E rating



S875HKX21G

**PREMIUM DISHWASHER**



Fully Intergrated 60cm dishwasher with InfoLight projected on floor

Flex I basket with adaptable elements  
6 programmes  
14 place settings  
Extra drying functions  
E rating



S155HVX00G



**Home Connect  
Easy Start**

Select the type of dishes and let the appliance take care of everything else.



Easy Start in three steps to choose the perfect wash.  
Receive tablet, rinse aid and salt level notifications via the app, so you never run out.

Keep your dishwasher in top condition - Receive automatic tablet and cleaning bundles via **smart finish** subscription.

Easily set your hard water settings to prolong the life of your dishwasher.

**TALL FRIDGE**



Built in tall refrigerator keeps fruit and vegetables to their freshest with fresh safe

Total volume 310 litre  
Super cooling function  
LED Light  
Fixed Hinge  
E rating



KI1812FE0G

**TALL FREEZER**



Built in tall no frost freezer with vario zone draws

Total volume 212 litre  
Super freeze function  
Fixed hinge  
E rating



GI7812EE0G

**FRIDGE FREEZER**



Built in no frost fridge freezer with eco air flow

50/50 combination  
Total volume 249 litre  
LED Light  
Sliding Hinge  
E rating



KI7851SE0G

**FRIDGE FREEZER**



Built in low frost fridge freezer with eco air flow

70/30 combination  
Total volume 272 litre  
LED Light  
Sliding Hinge  
E rating



KI5872SE0G

**8KG WASHING MACHINE**



8kg built in washing machine with speed perfect programme

1400 rpm spin speed  
Large LED Display  
Reversible door  
C rating



W543BX2GB

**8KG WASHING MACHINE**



8kg built in washing machine with silent function

1400 rpm spin speed  
Super quick 15 programme  
Reversible door  
C rating



W544BX2GB

**7KG WASHER DRYER**



Built in washer dryer with digital countdown indicator

1355 rpm spin speed  
7kg wash  
4 kg dry  
Large LED display  
E rating



V6320X2GB



# RANGEMASTER™

## SINKS & TAPS

### STAINLESS STEEL SINKS

25  
YEAR  
WARRANTY



#### BALTIMORE

Polished stainless steel inset sink  
Manufactured from 18/10 steel  
Reversible drainer  
Waste kit included  
Micro-Sheen™ soft brushed finish



**BL9501**  
Overall Size: 950 x 508  
600mm minimum base unit  
1.0 BOWL



**BL9501**  
Overall Size: 950 x 508  
600mm minimum base unit  
1.5 BOWL



**BL8001**  
Overall Size: 800 x 508  
450mm minimum base unit  
COMPACT



#### GLENDALE

Polished stainless steel inset sink  
Manufactured from 18/10 steel  
Reversible drainer  
Waste kit included  
Micro-Sheen™ soft brushed finish



**GL9501**  
Overall Size: 950 x 508  
600mm minimum base unit  
1.0 BOWL



**GL9502**  
Overall Size: 950 x 508  
600mm minimum base unit  
1.5 BOWL

### GRANITE SINKS

25  
YEAR  
WARRANTY



#### ELEMENTS

Natural anti-bacterial surface  
Igneous granite, easy clean  
Extreme scratch resistance  
Reversible drainer  
Waste kit included



**ELE1051**  
Overall Size: 1000 x 500  
600mm minimum base unit  
1.0 BOWL



**ELE1052**  
Overall Size: 1000 x 500  
600mm minimum base unit  
1.5 BOWL

Ash Black  Dove Grey  Crystal White  Stone 



#### LOA

Natural anti-bacterial surface  
Igneous granite, easy clean  
Extreme scratch resistance  
Reversible drainer  
Waste kit included



**LOA1051**  
Overall Size: 1000 x 500  
600mm minimum base unit  
1.0 BOWL



**LOA1052**  
Overall Size: 1000 x 500  
600mm minimum base unit  
1.5 BOWL



**LOA680**  
Overall Size: 860 x 500  
450mm minimum base unit  
COMPACT

Charcoal  Concrete  Arctic White  Pebble 



#### TOPAZ

Natural anti-bacterial surface  
Igneous granite, easy clean  
Extreme scratch resistance  
Reversible drainer  
Waste kit included



**TOP1001**  
Overall Size: 1000 x 510  
600mm minimum base unit  
1.0 BOWL



**TOP1002**  
Overall Size: 1000 x 510  
600mm minimum base unit  
1.5 BOWL



**TOP860**  
Overall Size: 860 x 510  
450mm minimum base unit  
COMPACT

Charcoal  Concrete  Arctic White  Pebble 

### CERAMIC SINKS

10  
YEAR  
WARRANTY

#### FARMHOUSE CERAMIC

Fire Clay ceramic sinks  
Smooth high gloss finish  
High resistance against stains  
Reversible, Waste kit included



**CFBL595**  
Overall Size: 595 x 455  
600mm minimum base unit



**CFBL900**  
Overall Size: 895 x 460  
900mm minimum base unit



#### RUSTIQUE CERAMIC

INSET OR UNDERMOUNT

Fire Clay ceramic sinks  
Smooth high gloss finish  
High resistance against stains  
Right hand only, Waste kit included



**CRUB3314**  
Overall Size: 600 x 522  
700mm minimum base unit



**CRUB3216**  
Overall Size: 595 x 460  
700mm minimum base unit



#### TENBY CERAMIC

Fire Clay ceramic sinks  
Smooth high gloss finish  
High resistance against stains  
Reversible, Waste kit and plumbing kit included



**CTE8501**  
Overall Size: 850 x 500  
500mm minimum base unit



**CTE10102**  
Overall Size: 995 x 497  
600mm minimum base unit



#### HEMLOCK

Sweeping neck spout design  
Delicate knurled handle

5  
YEAR  
WARRANTY



**Single LEVER TAP**  
Tap height: 412mm  
Spout reach: 216mm  
Min. pressure: 0.75 bar

CHROME  
THEMSLCM/  
BRUSHED NICKEL  
THEMSLBN/  
MATT BLACK  
THEMSLMB/  
POLISHED GOLD  
THEMSLPG/



**DUAL LEVER TAP**  
Tap height: 405mm  
Spout reach: 216mm  
Min. pressure: 0.4 bar

CHROME  
THEMDLCM/  
BRUSHED NICKEL  
THEMDLBN/  
MATT BLACK  
THEMDLMB/  
POLISHED GOLD  
THEMDLPG/

#### WAVERLEY

Anti-splash spout with honeycomb aerator design  
Compatible with all pressure systems

5  
YEAR  
WARRANTY



**MONOBLOC TAP**  
Tap height: 412mm  
Spout reach: 216mm  
Min. pressure: 0.75 bar  
POLISHED NICKEL  
TWAVDLPN/  
ANTIQUE BRASS  
TWAVDLAB/  
ENGLISH BRONZE  
TWAVDLEB/

**BRIDGE TAP**  
Tap height: 412mm  
Spout reach: 216mm  
Min. pressure: 0.75 bar  
POLISHED NICKEL  
TWAVBRPN/  
ANTIQUE BRASS  
TWAVBRAB/  
ENGLISH BRONZE  
TWAVBREB/





## CERAMIC SINKS

Each ceramic sink is hand finished, so no two sinks are ever alike - sizes may vary by plus-or-minus 2%. We recommend measuring the actual sink before fitting to ensure the perfect fit.



### WIL100

#### WILTSHIRE 100

- › Inset sink with drainer
- › Min. base unit 600mm
- › Overall size 1010 x 525mm
- › CPK501 waste required
- › CPK550GD waste with square and round overflow - shown



### WIL150

#### WILTSHIRE 150

- › Inset sink with drainer
- › Min. base unit 600mm
- › Overall size 1010 x 525mm
- › CPK2701 waste required



### FOX100

#### FOXBORO 100

- › Inset sink with drainer
- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › CPK501 waste required
- › CPK550BS waste with square and round overflow - shown



### FOX150

#### FOXBORO 150

- › Inset sink with drainer
- › Min. base unit 800mm
- › Overall size 1000 x 500mm
- › CPK2701 waste required



### BERKSHIRE

#### BERKSHIRE

- › Inset or undermounted sink
- › Min. base unit 500mm
- › Overall size 450 x 475mm
- › CPK1501 waste required



### YORK2

#### YORKSHIRE

- › Sit-on sink
- › Min. base unit 600mm
- › Overall size 595 x 475mm
- › CPK501 waste required



### ETT600U

#### ETTRA 600

- › Undermounted sink
- › Min. base unit 600mm
- › Overall size 545 x 440mm
- › CPK501 waste required



### CPBS4

#### MODERN BELFAST 600

- › Slimline design
- › Min. base unit 600mm
- › Overall size 595 x 455mm
- › 90mm waste outlet
- › BSWOFSS3 waste required



### FRI151

#### FRISKA

- › Inset or undermounted sink
- › Min. base unit 600mm
- › Overall size 557 x 430mm
- › CPK1101 waste required



### ETT150U

#### ETTRA 150

- › Undermounted sink
- › Min. base unit 600mm
- › Overall size 545 x 440mm
- › CPK1101 waste required
- › Not suitable for CPK550 wastes



### CHEPSTOW2

#### CHEPSTOW

- › Sit-on sink
- › Min. base unit 800mm
- › Overall size 795 x 490mm
- › 2 x CPK501 wastes required



### HAMILTON

#### HAMILTON

- › Sit-on sink
- › Min. base unit 900mm
- › Overall size 895 x 460mm
- › 2 x CPK501 wastes required

## CERAMIC SINK REPLACEMENT STRAINER WASTE



## INSET STAINLESS STEEL SINKS WITH DRAINER



### CR91SS

#### CRANE 91

- › Min. base unit 450mm
- › Overall size
- › 800 x 510mm
- › Reversible
- › Includes WASTEKIT WASTE026



### CR101SS

#### CRANE 101

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Reversible
- › Includes WASTEKIT WASTE026



### CR151SS

#### CRANE 151

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Reversible
- › Includes WASTEKIT WASTE025



### DO100SS

#### DOVE 100

- › Min. base unit 450mm
- › Overall size 860 x 500mm
- › Reversible
- › Includes WASTEKIT WASTE004



### LY100SSL

#### LY100SSR

#### LYON 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE009



### VA100L

#### VA100R

#### VANGA 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE011



### DO150SS

#### DOVE 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible
- › Includes WASTEKIT WASTE008



### LY150SSL

#### LY150SSR

#### LYON 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE010



### VA150L

#### VA150R

#### VANGA 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Right hand drainer shown
- › Includes WASTEKIT WASTE013



SINK AND TAP PACKS

PKAR91

ARROW 91 PACK

- › Min. base unit 450mm
- › Overall size 800 x 510mm
- › Wastekit included [WASTE026]
- › Includes polished chrome single lever tap
- › Min. 0.3 bar pressure required
- › CPK100 plumbing kit sold separately



PKAR101

ARROW 101 PACK

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Wastekit included [WASTE026]
- › Includes polished chrome single lever tap
- › Min. 0.3 bar pressure required
- › CPK100 plumbing kit sold separately



PKAR151

ARROW 151 PACK

- › Min. base unit 600mm
- › Overall size 965 x 510mm
- › Wastekit included [WASTE025]
- › Includes polished chrome single lever tap
- › Min. 0.3 bar pressure required
- › CPK200 plumbing kit sold separately



PKSA100

SABRE 100 PACK

- › Min. base unit 450mm
- › Overall size 860 x 500mm
- › Wastekit included [WASTE004]
- › Includes polished chrome monobloc tap
- › Min. 0.3 bar pressure required
- › CPK100 plumbing kit sold separately



PKSA150

SABRE 150 PACK

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Wastekit included [WASTE008]
- › Includes polished chrome monobloc tap
- › Min. 0.3 bar pressure required
- › CPK200 plumbing kit sold separately




POT FILLER TAPS



BANAB

BANWELL WALL MOUNTED POT FILLER

- › Antique Brass finish
- › Cold water only



BANSS

BANWELL WALL MOUNTED POT FILLER


- › Solid Stainless Steel
- › Cold water only



PENG D

PENTO WALL MOUNTED POT FILLER

- › Stainless Steel PVD Gold finish
- › Cold water only



PENSS

PENTO WALL MOUNTED POT FILLER

- › Solid Stainless Steel
- › Cold water only

FORM INDIVIDUAL AND MULTIPLE BOWLS - UNDERMOUNTED



FORM33

FORM 33

- › Min. base unit 400mm
- › Overall size 370 x 435mm



FORM42

FORM 42

- › Min. base unit 500mm
- › Overall size 452 x 434mm



FORM150UNI

FORM 150U

- › Min. base unit 600mm
- › Overall size 590 x 450mm
- › Reversible



FORM52

FORM 52

- › Min. base unit 600mm
- › Overall size 557 x 452mm



FORM150L

FORM150R

- › Min. base unit 600mm
- › Overall size 590 x 450mm
- › FORM150R shown

MODE INDIVIDUAL BOWL - INSET OR UNDERMOUNTED



MODE251

MODE 251

- › Min. base unit 300mm
- › Overall size 290 x 440mm



MODE341

MODE 341

- › Min. base unit 400mm
- › Overall size 380 x 440mm



MODE401

MODE 401

- › Min. base unit 450mm
- › Overall size 440 x 440mm



MODE501

MODE 501

- › Min. base unit 600mm
- › Overall size 540 x 440mm



MODE451

MODE 451

- › Min. base unit 500mm
- › Overall size 490 x 440mm



MODE751

MODE 751

- › Min. base unit 800mm
- › Overall size 750 x 440mm



MODE151L

MODE151R

MODE151

- › Min. base unit 600mm
- › Overall size 560 x 440mm





MODE045BS | KARBS



MODE045BS

MODE 45 PVD BLACK STEEL FINISH  
› Min. base unit 500mm  
› Overall size 490 x 440mm



MODE3415RBS

MODE 3415 PVD BLACK STEEL FINISH  
› Min. base unit 600mm  
› Overall size 555 x 440mm



AVE2BS

AVEL BLACK STEEL  
› Height 332mm



RIDBS

RIDLEY BLACK STEEL  
› Height 443mm



KARBS

KARNS BLACK STEEL  
› Height 265mm



VAP23IN1BS

VAPOS 2 BLACK STEEL  
› Height 405mm  
› Includes touch control  
pressurised boiler and filter



MODE045GM | AVE2GM | FMATGM



MODE045GM

MODE 45 PVD GUNMETAL FINISH  
› Min. base unit 500mm  
› Overall size 490 x 440mm



MODE3415RGM

MODE 3415 PVD GUNMETAL FINISH  
› Min. base unit 600mm  
› Overall size 555 x 440mm



AVE2GM

AVEL GUNMETAL  
› Height 332mm



RIDGM

RIDLEY GUNMETAL  
› Height 443mm



KARGM

KARNS BLACK STEEL  
› Height 265mm



VAP23IN1GM

VAPOS 2 GUNMETAL  
› Height 405mm  
› Includes touch control  
pressurised boiler and filter



MODE3415RCO | VAP23IN1CO | MODECOLCO | FMATCO



MODE045CO

MODE 45 PVD COPPER FINISH  
› Min. base unit 500mm  
› Overall size 490 x 440mm



MODE3415RCO

MODE 3415 PVD COPPER FINISH  
› Min. base unit 600mm  
› Overall size 555 x 440mm



AVE2CO

AVEL COPPER  
› Height 332mm



RIDCO

RIDLEY COPPER  
› Height 443mm



KARCO

KARNS COPPER  
› Height 265mm



VAP23IN1CO

VAPOS 2 COPPER  
› Height 405mm  
› Includes touch control  
pressurised boiler and filter



MODE3415RGD | MODECOLGD | FMATGD | RIDGD



MODE045GD

MODE 45 PVD GOLD FINISH  
› Min. base unit 500mm  
› Overall size 490 x 440mm



MODE3415RGD

MODE 3415 PVD GOLD FINISH  
› Min. base unit 600mm  
› Overall size 555 x 440mm



AVE2GD

AVEL GOLD  
› Height 332mm



RIDGD

RIDLEY GOLD  
› Height 443mm



KARGD

KARNS GOLD  
› Height 265mm




VAP23IN1GD

VAPOS 2 GOLD  
› Height 405mm  
› Includes touch control  
pressurised boiler and filter

ACCESSORIES



MODECOLCO | MODE3415RCO | KARCO | FMATCO



PVD COLANDER  
› MODECOLGD shown

CSB29SS


MODECOLBS

MODECOLCO

MODECOLGM

MODECOLGD

ACCESSORIES



PVD FOLDMAT  
› Universal foldmat  
› FMATGD shown

FMATSS

FMATBS

FMATCO

FMATGM

FMATGD



PVD SINK GRID  
› Suitable for  
MODE045 sink  
› CGRID12CO shown


CGRID12

CGRID12BS

CGRID12CO

CGRID12GM

CGRID12GD



PVD SINK GRID  
› Suitable for  
MODE3415 sink  
› CGRID13BS shown

CGRID13

CGRID13BS

CGRID13CO

CGRID13GM

CGRID13GD





**GRANITE GEOTECH COLOURS**

\*PLEASE NOTE: Replace XX with Geotech colour code when ordering.

**AN**  
Anthracite [Metallic]

**CW**  
Chalk White [Matt]

**PG**  
Pebble Grey [Metallic]

**DS**  
Desert Sand [Matt]

**MK**  
Mink [Matt]

LEESTI INSET OR UNDERMOUNTED



**LEE500XX\***

LEESTI 500

- › Min. base unit 600mm
- › Overall size 530 x 460mm
- › Inset or undermount



**LEE760XX\***

LEESTI 760

- › Min. base unit 800mm
- › Overall size 760 x 434mm
- › Undermount only



**LEE151XX\***

LEESTI 151U REVERSIBLE

- › Min. base unit 600mm
- › Overall size 555 x 460mm
- › Inset or undermount



**LEE200XX\***

LEESTI 200

- › Min. base unit 900mm
- › Overall size 824 x 481mm
- › Undermount only

VEIS INSET



**VEI100XX\***

VEIS 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



**VEI150XX\***

VEIS 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible

**CPK555CO**

- › 90mm Copper finish basket strainer waste and overflow - for Granite sinks.

CANIS INSET



**CAN100XX\***

CANIS 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



**CAN150XX\***

CANIS 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible

**CPK555GD**

- › 90mm Gold finish basket strainer waste and overflow - for Granite sinks.

SOTERA INSET



**SOT100XX\***

SOTERA 100

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible



**SOT150XX\***

SOTERA 150

- › Min. base unit 600mm
- › Overall size 1000 x 500mm
- › Reversible

**CPK555GM**

- › 90mm Gunmetal finish basket strainer waste and overflow - for Granite sinks.

TAPS



**SL7CH**  
SINGLE LEVER CHROME



**WAS4CH**  
WASHINGTON CHROME



**ASP2CH**  
ASPEN CHROME



**SCRU5CH**  
SHAFTSBURY CHROME



**AVE4CH**  
AVEL CHROME



**AVE4BN**  
AVEL BRUSHED NICKEL



**DELCH**  
DELTA CHROME



**SPI2CH**  
SPIRO CHROME  
PULL-OUT SPRAY



**ASPS2CH**  
ASPEN CHROME PULL-OUT



**AVE2SS**  
AVEL STAINLESS STEEL



**ASPS3SS**  
ASPEN STAINLESS  
STEEL PULL-OUT



**ARDPURCH**  
ARDOR PURITI CHROME  
› Purified cold water  
› Filter included



**LAMCH**  
LAMAR CHROME



**LAMBCH**  
LAMAR BLACK CHROME



**ASPQ2CH**  
ASPEN QUAD CHROME



**SALPURCH**  
SALUS PURITI CHROME  
› Purified cold water  
› Filter included



**WAS4BN**  
WASHINGTON  
BRUSHED NICKEL



**SCRU5AB**  
ANTIQUE BRASS



**RIDSS**  
RIDLEY STAINLESS STEEL  
› Height 443mm



**KARSS**  
KARNS STAINLESS STEEL



**KARBK**  
KARNS BLACK



**AVE2BK**  
AVEL 2 BLACK



**PREBK**  
PRETO BLACK TAP  
› Professional tap



**ASP2AN**  
ASPEN ANTHRACITE GRANITE  
› Pair with Anthracite  
granite sink



**ASP2PG**  
ASPEN PEBBLE  
GREY GRANITE  
› Pair with Pebble Grey  
granite sink



**NAVBC**  
NAVITIS BLACK CHROME



**TOR2CH**  
TORRENT PROFESSIONAL  
PULL-OUT SPRAY  
› Professional tap



**EMBRIS**  
EMBER BRIDGE  
STAINLESS STEEL



**EMBRIBK**  
EMBER BRIDGE BLACK



**VAP23IN1SS**  
VAPOS 2 STAINLESS STEEL  
› Height 405mm  
› Includes touch control  
pressurised boiler and filter







TRADITIONAL TAPS

**Czar** Single Lever  
- Min 0.5 Bar Pressure  
- H 320mm  
**AT1241** Chrome

**Czar** Single Lever Pull Out  
- Min 0.9 Bar Pressure  
- H 357mm  
**AT1240** Chrome

**Quantic** Monobloc  
- Min 0.3 Bar Pressure  
- H 306mm  
**AT2070** Chrome  
**AT2206** Brushed Nickel  
**AT2105** Matt Black  
**AT2182** Brushed Brass

**Pico Quad** Monobloc  
- Min 0.4 Bar Pressure  
- H 313mm  
**AT2134** Chrome  
**AT2135** Brushed Nickel  
**AT2137** Matt Black  
**AT2136** Brushed Brass

**Pico** Monobloc  
- Min 0.5 Bar Pressure  
- H 365mm  
**AT1226** Chrome  
**AT1227** Brushed Nickel  
**AT2095** Matt Black  
**AT2045** Brushed Brass

Matrix R15 - Undermounted or inset installation

**Matrix R15**  
**AW5121** Single Bowl  
- L380 x W440 x D202

**Matrix R15**  
**AW5122** Large Single Bowl  
- L540 x W440 x D205

**Matrix R15**  
**AW5124** 1.5 Bowl  
(left hand main bowl)  
- L580 x W440 x D202

**Matrix R15**  
**AW5128** Extra Large Single Bowl  
- L750 x W440 x D205

**Astral** Monobloc  
- Min 0.3 Bar Pressure  
- H 355mm  
**AT1156** Chrome  
**AT1157** Brushed Nickel

**Nexa** Monobloc  
- Min 0.3 Bar Pressure  
- H 344mm  
**AT1222** Chrome  
**AT1223** Brushed Nickel

**Globe** Aquifier  
- Min 1.0 Bar Pressure  
- H409mm  
**AT2173** Chrome  
**AT2174** Brushed Nickel  
**AT2176** Matt Black  
**AT2175** Brushed Brass

Matrix R25 Undermounted or inset installation

**Matrix R25**  
**AW5150** 1.0 Bowl  
- L440 x W440 x D200

**Matrix R25**  
**AW5153** 1.5 Bowl  
(left hand main bowl)  
- L580 x W440 x D200

Koto

**AW5162** 1.0 Bowl  
- L540 x W440 x D200  
Black

**AW5161** 1.0 Bowl  
- L540 x W440 x D200  
Brushed Brass

TRADITIONAL TAPS

**Ludlow** Monobloc  
- Min 0.3 Bar Pressure  
- H355mm  
**AT1026** Chrome  
**AT1216** Brushed Nickel  
**AT1028** Antique Brass

**Ludlow** Bridge  
- Min 0.2 Bar Pressure  
- H400mm  
**AT1029** Chrome  
**AT1217** Brushed Nickel  
**AT1031** Antique Brass

**Gosford** Monobloc  
- Min 0.2 Bar Pressure  
- H390mm  
**AT1019** Chrome  
**AT1020** Brushed Nickel  
**AT1022** Antique Brass

Belfast

**AW1022** Large Bowl  
- L595 x W455 x D275



Provincial

**AW1020**  
Large Single Bowl  
- L795 x W460 x D220



**AW10201**  
2.0 Bowl  
- L794 x W490 x D220



Milford



**AW1042** Single Bowl and  
Drainer (Reversible)  
- L860 x W500 x D220



**AW1043** 1.5 Bowl and  
Drainer (Reversible)  
- L1000 x W500 x D220

CLASSICALLY TAPS

**Oxbury** Monobloc  
- Min 0.3 Bar Pressure  
- H 385mm  
**AT2220** Chrome  
**AT2221** Brushed Nickel  
**AT2222** Antique Brass

**Oxbury** Bridge  
- Min 0.2 Bar Pressure  
- H402mm  
**AT2223** Chrome  
**AT2224** Brushed Nickel  
**AT2225** Antique Brass

**Oxbury** 3 Part Mixer  
- Min 0.4 Bar Pressure  
- H326mm  
**AT2226** Chrome  
**AT2227** Brushed Nickel  
**AT2228** Antique Brass

**Fenton** Handspray  
- Min 1.5 Bar Pressure  
- H147mm  
**AT2238** Chrome  
**AT2239** Brushed Nickel  
**AT2240** Antique Brass

WASTES & OVERFLOWS

**Manual Basket Strainer Waste (90mm)**  
**AX1135** Matt Black  
**AX1136** Antique Brass  
**AX1155** Brushed Brass

**Round Overflow**  
**AX1138** Matt Black  
**AX1139** Antique Brass  
**AX1156** Brushed Brass

**Belfast Basket Strainer Waste (60mm)**  
**AX1151** Antique Brass

**Rectangular Overflow (55 x 30mm)**  
**AX1137** Matt Black  
**AX1140** Antique Brass  
**AX1157** Brushed Brass

**Rectangular Overflow (90 x 30mm)**  
**AX1152** Matt Black  
**AX1158** Brushed Brass





**ACT3011** Chrome  
**ACT3028** Matt Black



**ACT3034** Chrome  
**ACT3035** Brushed Nickel  
**ACT3036** Matt Black  
**ACT3059** Brushed Brass



**ACT3031** Chrome  
**ACT3032** Brushed Nickel  
**ACT3033** Matt Black  
**ACT3043** Brushed Brass



**ACT3025** Chrome  
**ACT3026** Brushed Nickel  
**ACT3027** Matt Black  
**ACT3058** Brushed Brass




**ACT2080** Chrome



**ACT3053** Chrome  
**ACT3054** Brushed Nickel  
**ACT3055** Matt Black  
**ACT3056** Brushed Brass



**ACT2001** Chrome  
**ACT2002** Brushed Nickel



**ACT3046** Chrome  
**ACT3047** Brushed Nickel  
**ACT3048** Matt Black



**ACT3012** Chrome  
**ACT3013** Brushed Nickel  
**ACT3010** Matt Black  
**ACT3049** Brushed Brass

Candy  
Hoover  
Haier  
Belling  
Caple  
Cata

0344 499 5599  
0344 499 5599  
0333 003 8122  
0344 815 3746  
01179 381 900  
0344 800 11 28

**CUSTOMER  
SUPPORT**

Bosch  
Neff  
Rangemaster  
Caple Sinks  
Abode Taps  
Eco Taps

08702 413381  
08702 413383  
consumers@agarangemaster.co.uk  
01179 381 900  
01226 283434  
01226 283434